



WELCOME

Humans are naturally curious creatures. It is, therefore, hardly a surprise that we all have questions about the human body that we want to know the answers to. How do our organs function? How do our wounds heal? Why do we dream? We answer these burning questions and more in Everything You Need to Know About the Human Body. Join us as we take you on a journey through the human anatomy, from your skull all the way down to your toes, with anatomical illustrations and detailed explanations to help you understand the wonder that is our bodies.





Future PLC Quay House, The Ambury, Bath, BAI IUA

Editorial

Editor Jessica Leggett Senior Designer Steve Dacombe Senior Art Editor Andy Downes Head of Art & Design Greg Whitaker Editorial Director Jon White

Cover images

Getty Images, Alamy

Photography
Getty Images, Alamy, Dreamstime
All copyrights and trademarks are recognised and respected

Advertising Media packs are available on request Commercial Director Clare Dove

International
Head of Print Licensing Rachel Shaw licensing@futurenet.com www.futurecontenthub.com

Circulation

Head of Newstrade Tim Mathers

Production
Head of Production Mark Constance Production Project Manager Matthew Eglinton Advertising Production Manager Joanne Crosby Digital Editions Controller Jason Hudson Production Managers Keely Miller, Nola Cokely, Vivienne Calvert, Fran Twentyman

Printed in the UK

Distributed by Marketforce, 5 Churchill Place, Canary Wharf, London, E14 SHU www.marketforce.co.uk Tel: 0203 787 9001

Everything You Need to Know About The Human Body First Edition

(HIB5077) © 2023 Future Publishing Limited

We are committed to only using magazine paper which is derived from responsibly manager certified forestry and chlorine free manufacture. The paper in this bookszine was sourced and produced from sustainable managed forests, conforming to strict environmental and socioeconomic standards.

socioeconomic standards.

All contents © 2023 Future Publishing Limited or published under licence. All rights reserved.

No part of this magazine may be used stored, transmitted or reproduced in any way without the prise written permission of the publisher. Future Publishing Limited (company number 2006885) is registered in England and Wales. Registered office: Quay House, The Ambury, Bath BATUA. All information contained in this publication is for information only and is, as for as we are aware, correct at the time of going to press. Future cannot socopt any responsibility for errors or inecuracies in such information, our are divided to contact manufacturers and retailess directly with regard to the price of products/services referred to in this publication. Apps and websites mentioned in this publication are not under our control. We are not responsible for their contents or any other changes or updates to them. This magazine is fully independent and not affiliated in any way with the companies mentioned herein.



Part of the

bookazine series








appeared in How it Works: Book of the Human Body

CONTENTS





Human Anatomy

020..... 50 Amazing facts about the human body

028..... Human cells

030..... Inside a nucleus

031...... What are stem cells?

031..... The human brain

036..... Inside the human eye

038..... How ears work

040 Your skeleton

046...... The human ribcage

048...... The human hand

050...... How do your feet work?

052...... How do muscles work?

054..... Anatomy of the neck

056..... Under the skin

057...... How the spleen works

058...... The human heartbeat

060...... Inside the human stomach

062..... Kidney function

064..... How the liver works

066..... Exploring the small intestine

068...... How the pancreas works

070...... The urinary system explained











How the Body works

074..... The science of sleep

082...... Neurotransmitters and your feelings

083..... Brain cells

084..... Human digestion

086...... Human respiration

088..... Inside the circulatory system

090...... Why do we sweat?

091..... How wounds heal

092..... How your blood works

096...... How do white blood cells work?

098...... How your immune system works?

100...... The lymphatic system

102..... Bacteria vs virus


103...... What is saliva?


104..... How old is your body?

106..... Human pregnancy


108..... Hormones

110..... Genetics





with our head-to-toe guide



A-Z OF THE HUMAN BODY

Alveoli


As an adult, your lungs have a total surface area of around 50 square metres. That's around a quarter of the size of a tennis court! Packing all of that into your chest is no mean feat, and the body does it using structures called alveoli. They look a little bit like bunches of grapes, packed tightly inside the

lungs in order to maximise the use of the available volume in the chest. When you breathe in, they expand, filling with air. The surfaces of the alveoli are just one cell thick and surrounded by tiny blood vessels called capillaries, allowing gases to diffuse easily in and out of the blood with each breath you take.

Gase exchange Gases are swapped at the surface of the alveoli – they travel in or out of the capillary by diffusion.

Red blood cells

Blood cells move through the capillaries in single file, picking up oxygen and dropping carbon dioxide as they go.



Capillary

Tiny blood

vessels run

close to the

walls of the

alveoli.

Understanding alveoli

How does your body pack such a huge surface area inside your chest?

Branching
The lungs are branched like trees, packing as many alveoli as possible into a small space.

Surfactant

Some of the pneumocytes produce a surfactant, a fluid similar to washing-up liquid, which coats the alveoli and stops them sticking together.

Pneumocytes

The alveoli are made from thin, flat cells called pneumocytes, minimising the distance that gases have to travel.

Alveolus


Each individual air sac in the lungs is known as an alveolus.

Brain The brain is not just the most complex structure in the human body, but it is also the most complex object in the known universe. It contains an estimated 86 billion nerve cells, each of which makes hundreds, or even thousands of connections to the others around it.

Cornea

The cornea is the protective coating that keeps your eye free of dust and debris. It looks clear but is actually made up of several layers of cells. Light bends slightly as it passes through the cornea, helping to focus incoming rays on the back of your eye.

It is, in fact, possible to donate corneas for transplant, helping to restore vision to people with corneal damage.



Enzymes

Enzymes are often called 'biological catalysts', and their job is to speed up chemical reactions. You are full of dissolved chemicals with the potential to come together or break apart to form the biological building blocks that you need to stay alive, but the reactions happen too slowly on their own.


Enzymes are molecules with 'active sites' that lock on to other molecules, bringing them close together so that they can react, or bending

their structures so that they can combine or break apart more easily. The enzymes themselves do not actually get involved in the reactions; they just help them to happen faster.

Some of the most well-known enzymes are the ones in your digestive system.

These are important for breaking down the molecules in your food. However, these aren't the only enzymes in your body. There are others responsible for building molecules, snipping

molecules, tidying up when molecules are no longer needed, and even destroying invading pathogens.




This enzyme brings two molecules close together so that they can react

Fat

You have two main types of fat: brown and white. Brown fat burns calories to keep you warm, while white fat stores energy and produces hormones. Children have more brown fat than adults, and it's mainly found in the neck and shoulders, around the organs, and along the spinal cord.






Glands

These structures are responsible for producing and releasing fluids, enzymes

and hormones into your body.
There are two major types:
endocrine and exocrine.
Exocrine glands produce
substances like sweat,
saliva and mucus, and
release these through ducts
onto the skin or surfaces of
other organs. Endocrine
glands produce hormones,
which are released into the
blood to send chemical
signals across the body.

The pancreas has both endocrine glands (blue clusters) and exocrine glands (green branches)




Hair

You have around 5 million hair follicles and, surprisingly, only around 100,000 of those are on your scalp. The others are spread across your body – on your skin, lining your eyelids, and inside your nose and ears. Hair has many functions, helping to keep you warm, trapping dirt and debris, and even (in the case of eyebrows) diverting sweat and rainwater away from your eyes.

Intestines

After exiting your stomach, food enters your intestines and begins a 7.5-metre journey out of your body. The small intestine comes first, and is filled with digestive enzymes that get to work breaking down and absorbing the molecules from your meal. After this, the large intestine absorbs as much water as possible before the waste is passed out.



Joints

There are more than 200 bones in the human body, and to make you move in all the right places, they are linked together by different types of joints.

In your hips and shoulders, you've got ball and socket joints, which allow the widest range of movement. They allow movement forwards, backwards, side-to-side and around in circles.

At the knees and elbows, you have hinge joints, which open and close just like a door. And in your wrists and ankles, there are gliding joints, which allow the bones to flex past one another. In your thumb, there is a saddle joint that enables a side-to-side and open-close motion.

Cartilage covers the ends of the bones at many joints, helping to prevent the surfaces from rubbing together, and cushioning the impact as you move. Many joints are also contained within a fluid-filled capsule, which provides lubrication to keep things moving smoothly. These are called synovial joints.

"There are more than 200 bones in the human body"

Types of joints

Each type of joint in your body allows for a different range of movement

Pivot-

These joints are adapted for turning, but they do not allow much side-to-side or forwards and backwards movement.



Hinge

The knees and elbows can move forwards and backwards, but not side to side.



Gliding

Gliding joints are found between flat bones, enabling them to slide past one another.

— Immovable

Some bones are fused together to form joints that don't actually move, including the bones that make up the skull.



Ball and socket

These joints allow the widest range of movement. The end of one bone is shaped like a ball, and rotates inside another cupshaped bone.



Saddle

The only saddle joints in the human body are in the thumbs. They allow forwards, backwards and sideways motion, but only limited rotation.

Ellipsoidal


These joints, such as at the base of your index finger, allow forward and backwards movement, and some side-to-side, but they don't rotate.

Kidneys

"Your kidneys keep your blood clean and your body hydrated"


Your kidneys keep your blood clean and your body properly hydrated.
Blood passes in through knots of blood vessels that are wider on the way in and narrower on the way out. This creates an area of high pressure that forces water and waste out through gaps in the vessel

walls. Blood cells and proteins remain in the bloodstream. Each kidney has around a million of these miniature filtering systems, called nephrons, cleaning the blood every time it passes through. The fluid then tracks through bendy tubes (known as convoluted tubules), where important minerals are collected and returned to the blood. Excess water and waste products are sent on to the bladder as urine to be excreted. Depending on how much salt and water are in your body, your kidneys adjust the amount of fluid that they get rid of, helping to keep your hydration levels stable.



Lymphatic system

Everyone knows about the circulatory system that transports blood around the body, but there is a second network of tubes and vessels that is often forgotten. The lymphatic system collects fluid from the tissues, and returns it to the blood via veins in the chest. It is also used by the immune system to monitor and fight infection.



The lymphatic system is studded with lymph nodes, used as outposts by the immune system

Mitochondria


We know that our bodies need oxygen and nutrients to survive, and mitochondria are the powerhouses that turn these raw materials into energy. There are hundreds in every cell, and they use a complex chain of proteins that shuffle electrons around to produce chemical energy in a form that can be easily used.

Nervous system

This is your body's electrical wiring, transmitting signals from your head to your toes and everywhere in between. The nervous system can be split into two main parts: central and peripheral. The central nervous system is the brain and spinal cord, and makes up the control centre of your body. While the brain is in charge of the vast majority of signals, the spinal cord can take care of some things on its own. These are known as 'spinal reflexes', and include responses like the knee-jerk reaction. They bypass

the brain, which allows them to happen at super speed.

The peripheral nervous system is the network of nerves that feed the rest of your body, and it can be divided into two parts: somatic and autonomic. The somatic nervous system looks after everything that you consciously feel and move, like clenching your leg muscles and sensing pain if you step on a nail. The autonomic system takes care of the things that go on in the background, like keeping your heart beating and your stomach churning.



Oesophagus

Sometimes known as the 'food pipe', this stretchy muscular tube links your mouth to your stomach. When you swallow, circular muscles contract to push food into your digestive tract, starting at the top and moving down in waves.

"The peripheral nervous system is the network of nerves that feed the rest of your body"



Pancreas

This leaf-shaped organ plays two vital roles in digestion. It produces enzymes that break down food in the small intestine, and it makes the hormones insulin and glucagon, which regulate the levels of sugar in the blood.



Quadriceps

There aren't many body parts that begin with the letter Q, but this bundle of four muscles in the upper leg is an important one. The quadriceps femoris connect the pelvis and thigh to the knee and shinbone, and are used to straighten the leg.


Thinkstock

Ribcage

This internal armour protects your heart and lungs, and performs a vital role in keeping your body supplied with oxygen. In total, the ribcage is made from 24 curved bones, which connect in pairs to the thoracic vertebrae of the

spine at the back.
Seven of these pairs are called true ribs, and are linked at the front to a wide, flat bone called the sternum (or breastbone). The next three pairs, known as false ribs, connect to the sternum indirectly, and the final two don't link up at all, and are known as as floating ribs.





Skin

Your skin is the largest organ in your body. It is made up of three distinct layers: the epidermis on the outside, the dermis beneath, and the hypodermis right at the bottom.

The epidermis is waterproof, and is made up of overlapping layers of flattened cells. These are constantly being replaced by a layer of stem cells that sit just beneath. The epidermis also contains melanocytes, which produce the colour pigment melanin.

The dermis contains hair follicles, glands, nerves and blood vessels. It nourishes the top layer of skin, and produces sweat and sebum. Under this is a layer of supporting tissue called the hypodermis, which contains storage space for fat.



functions. It is vital for
chewing, swallowing, speech and
even keeping your mouth clean, but its
most well-known job is to taste.
The bumps on the tongue are not all
the foliate papillae
taste buds each. An
fungiform (mushro
papillae, with a wh

The bumps on the tongue are not all taste buds; they are known as papillae, and there are four different types. At the very back of the tongue are the vallate papillae, each containing around 250 taste buds. At the sides are

the foliate papillae, with around 1,000 taste buds each. And at the tip are the fungiform (mushroom-shaped) papillae, with a whopping 1,600 taste buds each.

The rest of the bumps, covering most of the tongue, are known as filiform papillae, and do not have any taste buds at all.

Umbilical cord


This spongy structure is packed with blood vessels, and connects a developing baby to its placenta. The placenta attaches to the wall of the mother's uterus, tapping into her blood supply to extract oxygen and nutrients. After birth, the cord dries up and falls away, leaving a scar called the belly button.



Vocal cords

The vocal cords are folds of membrane found in the larynx, or voice box. They can be used to change the flow of air out of the lungs, allowing us to speak and sing. As air passes through the gap between the folds, they vibrate, producing sound.

When the vocal cords are closed, pressure builds and they vibrate



Xiphoid process



This is the technical term used for the little lump that can be found at the bottom of your sternum, or breastbone. Medical professionals use the xiphoid process as a landmark in order to find the right place for chest compressions during CPR.

White blood cells

These specialist cells make up your own personal army, tasked with defending your body from attack and disease. There are several different types, each with a unique role to play in keeping your body free of infection.

The first line of defence is called the innate immune system. These cells are the first ones on the scene, and they work to contain

infections by swallowing and digesting bacteria, as well as killing cells that have been infected with viruses.

If the innate immune system can't keep the infection at bay, then they call in the second layer of defence – the adaptive immune system. These cells mount a stronger and more specific attack, and can even remember which pathogens they've fought before.

Basophils


The chemicals that are

to increase blood flow to tissues, causing inflammation.

produced by these cells help

Your immune army

Meet some of the cells that fight to keep you free from infection



Monocytes

When these cells arrive in your tissues, they turn into macrophages, or 'big eaters', responsible for swallowing infections and cleaning up dead cells.


Lymphocytes

These are the specialists of the adaptive immune system. Each individual cell targets a different enemy, delivering a deadly attack.



Eosinophils

These cells contain granules full of chemicals that can be used as a weapon against pathogens.



Neutrophils

These cells are your first line of defence against attack. They are present in large numbers in the blood.

Yellow marrow

There are two main types of bone marrow: yellow and red. Red marrow is responsible for producing new blood cells, while yellow marrow contains mainly fat. Red marrow gradually changes into yellow marrow as you get older.

Yellow marrow is mainly found in the long bones of the arms and legs

Zygomaticus major

This is one of the key muscles responsible for your smile, joining the corner of the mouth to the cheekbone, and pulling your lips up and out. Depending on your anatomy, it is also the muscle responsible for cheek dimples.





Learn everything you need to know about the essentials of the human body

020...... 50 Amazing facts about the human body

028..... Human cells

030...... Inside a nucleus

031...... What are stem cells?

031..... The human brain

036...... Inside the human eye

038..... How ears work

040...... Your skeleton

046..... The human ribcage

048..... The human hand

050...... How do your feet work?

052...... How do muscles work?

054..... Anatomy of the neck

056...... Under the skin

057..... How the spleen works

058...... The human heartbeat

060...... Inside the human stomach


062...... Kidney function

064...... How the liver works

066..... Exploring the small intestine

068...... How the pancreas works

070...... The urinary system explained






How do we think?

What are thoughts? This question will keep scientists, doctors and philosophers busy for decades to come. It all depends how you want to define the term 'thoughts'. Scientists may talk about synapse formation, pattern recognition and cerebral activation in response to a stimulus (seeing an apple and recognising it). Philosophers, and also many scientists, will argue that a network of neurons cannot possibly explain the many thousands of thoughts and emotions that we must deal with. A sports doctor might state that when you choose to run, you activate a series of well-trodden pathways that lead from your brain to your muscles in less than just a second.

There are some specifics we do know though – such as which areas of your brain are responsible for various types of thoughts and decisions.





In the mornings, do we wake up or open our eyes first?

Sleep is a gift from nature, which is more complex than you think. There are five stages of sleep which represent the increasing depths of sleep – when you're suddenly wide awake and your eyes spring open, it's often a natural awakening and you're coming out of rapid eye movement (REM) sleep; you may well remember your dreams. If you're coming out of a different phase, e.g. when your alarm clock goes off, it will take longer and you might not want to open your eyes straight away!



3 Do eyeballs grow like the rest of the body?

Only a small amount – this is actually why babies appear to be so beautiful, as their eyes are out of proportion and so appear bigger.

4 Why do we fiddle subconsciously? I'm constantly playing with my hair

This is a behavioural response – some people play with their hair when they're nervous or bored. For the vast majority of people such traits are perfectly normal. If they begin to interfere with your life, behavioural psychologists can help – but it's extremely rare that you'll end up there.

5 Why can some people roll their tongues but others can't?

Although we're often taught in school that tongue rolling is due to genes, the truth is likely to be more complex. There is likely to be an overlap of genetic factors and environmental influence. Studies on families and twins have shown that it simply cannot be a case of just genetic inheritance. Ask around – the fact that some people can learn to do it suggests that in at least some people, it's environmental (i.e. a learned behaviour) rather than genetic (inborn).



6 What is a pulse?

When you feel your own pulse, you're actually feeling the direct transmission of your heartbeat down your artery. You can only feel a pulse where you can compress an artery against a bone, e.g. the radial arteryat the wrist. The carotid artery can be felt against the vertebral body, but beware, press too hard and you can actually faint. Press both at the same time and you'll cut off the blood to your brain and, as a protective mechanism, you'll definitely faint!



2D field The areas from 120 to 180 degrees are seen as 2D, as only one eye contributes, but we don't really notice. 3D field The central 120-degree portion is the 3D part of our vision as both eyes contribute - this is the part we use the most.

What's my field of vision in degrees?

The human field of vision is just about 180 degrees. The central portion of this (approximately 120 degrees) is binocular or stereoscopic – i.e. both eyes contribute, allowing depth perception so that we can see in 3D. The peripheral edges are monocular, meaning that there is no overlap from the other eye, so we see in 2D.

12 Why do we burp?

A burp is the body's way of releasing gas naturally from your stomach. This gas has either been swallowed or is the result of something that you have ingested – such as a sparkling drink. The sound is vibrations, which are taking place in the oesophageal sphincter, the narrowest part of the gastrointestinal tract.

What is the point of tonsils?

The tonsils are collections of lymphatic tissues that are thought to help fight off pathogens from the upper respiratory tract. However, the tonsils can sometimes become infected - leading to tonsillitis. The ones you can see at the back of your throat are just part of the ring of tonsils. You won't miss them if they're taken out for recurrent infections, as the rest of your immune system will compensate.






Why does it feel so weird when you hit your funny bone?

You're actually hitting the ulnar nerve as it wraps around the bony prominence of the 'humerus' bone, leading to a 'funny' sensation. Although, not so funny, as the brain interprets this sudden trauma as pain to your forearm and fingers!



11 How fast does blood travel round the human body?

Your total 'circulating volume' is about five litres. Each red blood cell within this has to go from your heart, down the motorway-like arteries, through the back-road capillary system, and then back through the rush-hour veins to get back to your heart. The process typically takes about a minute. When you're in a rush and your heart rate shoots up, the time reduces as the blood diverts from the less-important structures (e.g. large bowel) to the more essential (e.g. muscles).



first to get blocked by

fatty plaques.

25 per cent of the blood

from each heart beat!



How many inches of hair does the average person grow from their head each year?

It's different for everybody – your age, nutrition, health status, genes and gender all play a role. In terms of length, anywhere between 0.5-1 inch (1.2-2.5cm) a month tends to be considered average, but don't be surprised if you are outside of this range.



Why are everyone's fingerprints different?

Your fingerprints are fine ridges of skin in the tips of your fingers and toes. They are useful for improving the detection of small vibrations and to add friction for better grip. No two fingerprints are the same -either on your hands or between two people-and that's down to your unique set of genes.

Why do we only remember some dreams?

Dreams have fascinated humans for thousands of years. Some people think they are harmless while others think they are vital to our emotional wellbeing. Most people have four to eight dreams per night, which are influenced by stress, anxiety and desires, but they remember very few of them. There is research to prove that if you wake up during the rapid eye movement (REM) part of your sleep cycle, you're likely to remember your dreams more clearly.



Why do we all have different

Most of it is down to the genes that result from when your parents come together to make you. Some hair colours win out (typically the dark ones) whereas some (e.g. blonde) are less strong in the genetic race.

O Is it possible to keep your eyes open when you sneeze?



coloured hair?

WHY DO MEN HAVE NIPPLES

Men and women are built from the same template, and these are just a remnant of a man's early development.

WHAT'S THE EYEBROWS?

Biologically, eyebrows can help to keep sweat and rainwater from falling into your eyes. More importantly in humans, they are key aids to non-verbal communication.

BELLY BUTTON?

The umbilicus is where a baby's blood flows through to get to the placenta to exchange oxygen and nutrients with the mother's blood. Once out, the umbilical cord is clamped several centimetres away from the baby and left to fall off. No one quite knows why you'll get an'innie' oran'outie' - it's probably all just luck.

WHY IS IT THAT FINGERNAILS GROW MUCH FASTER THAN TOENAILS?



The longer the bone at the end of a digit, the faster the growth rate of the nail. However, there are many other influences too - nutrition, sun exposure, activity, blood supply-and that's just to name a few.

WHY DOES MY **FALL ASLEEP ON IT?**

This happens because you're compressing a nerve as you're lying on your arm. There are several nerves supplying the skin of your arm and three supplying your hand (the radial, median and ulnar nerves), so depending on which part of your arm you lie on, you might tingle in your forearm, hand or fingers.

6 Why, as we get older, does hair growth become so erratic?

Hair follicles in different parts of your body are actually programmed by your genes to do different things, e.g. the follicles on your arm produce hair much slower than those on your head. Men can go bald due to a combination of genes and hormonal changes, which may not happen in other areas (e.g. nasal hair). It's different for everybody!




🔼 What gives me my personality?


Researchers have spent their whole lives trying to answer this one. Your personality forms in the front lobes of your brain, and there are clear personality types. Most of it is your environment - that is, your upbringing, education, surroundings. However, some of it is genetic, although it's unclear how much. The strongest research in this comes from studying twins - what influences one set of twins to grow up and be best friends, yet in another pair, one might become a professor and the other a murderer.

25 What makes some blood groups incompatible while others are universal?

Your blood type is determined by protein markers, known as antigens, on the surface of your red blood cells. You can have A antigens, B antigens, or none – in which case you're blood type O. However, if you don't have the antigen, your antibodies will attack foreign blood. If you're type A and you're given B, your antibodies attack the B antigens. However, if you're blood type AB, you can safely receive any type. Those who are blood group O have no antigens so can give blood to anyone, but they have antibodies A and B so can only receive O back!



26 What is a pulled muscle?





27 Which organ uses up the most oxygen?

The heart is the most efficient – it extracts 80 per cent of the oxygen from blood. But the liver gets the most blood – 40 per cent of the cardiac output compared to the kidneys, which get 25 per cent, and the heart, which only receives 5 per cent.

28 What is the appendix? I've heard it has no use but can kill you...

The appendix is useful in cows for digesting grass and koala bears for digesting eucalyptus – koalas can have a 4m (13ft)-long appendix! In humans, however, the appendix has no useful function and is actually a remnant of our development. It typically measures 5-10cm (1.9-3.9in), but if it gets blocked it can get inflamed. If it isn't quickly removed, the appendix can burst and lead to widespread infection which can be lethal.

30 What is the gag reflex?

1. Foreign bodies

This is a protective mechanism to prevent food or foreign bodies entering the back of the throat at times other than swallowing.


2. Soft palate

The soft palate (the fleshy part of the mouth roof) is stimulated, sending signals down the glossopharyngeal nerve.



Why does people's skin turn yellow if they contract liver disease?

This yellow discolouration of the skin or the whites of the eyes is called jaundice. It is actually due to a buildup of bilirubin within your body, when normally this is excreted in the urine (hence why urine has a yellow tint). Diseases such as hepatitis and gallstones can lead to a buildup of bilirubin due to altered physiological processes, but there are other causes.



3. Vagus nerve

The vagus nerve is stimulated, leading to forceful contraction of the stomach and diaphragm to expel the object forwards.

4. The gag

This forceful expulsion leads to 'gagging', which can develop into retching and vomiting.



31 Why are we ticklish?

Light touches by feathers, spiders, insects or other humans, can stimulate fine nerve-endings in the skin, which send impulses to the somatosensory cortex in the brain. Certain areas are more ticklish – such as the feet – which may indicate that it is a defence mechanism against unexpected predators. It is the unexpected nature of this stimulus that means you can be tickled. Although you can give yourself goosebumps through light tickling, you can't make yourself laugh.



32 Why don't eyelashes keep growing?

Your eyelashes are formed from hair follicles, just like those on your head, arms and body. Each follicle is genetically programmed to function differently. Your eyelashes are programmed to grow to a certain length and even re-grow if they fall out, but they won't grow beyond a certain length, which is handy for seeing!



33 What makes us left-handed?

One side of the brain is more dominant over the other. Since each hemisphere of the brain controls the opposite side of your body, meaning the left controls the right side of your body. This is why right-handed people have stronger left brain hemispheres. However you can find an ambidextrous person, where hemispheres are co-dominant, and these people are equally capable with both right and left hands!



34 Could we survive on vitamins alone?

No, your body needs a diet balanced with vitamins, protein, minerals, carbs, and fat to survive. You can't cut one of these and expect your body to stay healthy. It is the proportions of these which keep us healthy and fit. You can get these from the five major food groups. Food charts can help with this



The immune response leads to inflammation and the release of inflammatory factors into your blood stream. These lead to an increased heart rate and blood flow, which increases your core body temperature – as if your body is doing exercise. This can lead to increased heat production and thus dehydration; for this reason, it's important to drink plenty of clear fluids when you're feeling unwell.



36 WHY DO SOME PEOPLE HAVE FRECKLES?

Freckles are concentrations of the dark skin pigment melanin in the skin. They typically occur on the face and shoulders, and are more common in light-skinned people. They are also a well-recognised genetic trait and become more dominant during sun-exposure.




37 WHAT IS A WART?

Warts are small, rough, round growths of the skin caused by the human papilloma virus. There are different types which can occur in different parts of the body, and they can be contagious. They commonly occur on the hands, but can also come up anywhere from the genitals to the feet!

38 WHY DO I TWITCH IN MY SLEEP?

This is known in the medical world as a myoclonic twitch. Although some researchers say these twitches are associated with stress or caffeine use, they are likely to be a natural part of the sleep process. If it happens to you, it's perfectly normal.



39 What triggers the heart and keeps it beating?

The heart keeps itself beating. The sinoatrial node (SAN) is in the wall of the right atrium of the heart, and is where the heartbeat starts. These beats occur due to changes in electrical currents as calcium, sodium and potassium move across membranes. The heart can beat at a rate of 60 beats per minute constantly if left alone. However – we often need it to go faster. The sympathetic nervous system sends rapid signals from the brain to stimulate the heart to beat faster when we need it to – in 'fight or flight' scenarios. If the SAN fails, a pacemaker can send artificial electrical signals to keep the heart going.

Definitions

Systole = contraction Diastole = relaxation


40 Why do bruises go purple or yellow?

A bruise forms when capillaries under the skin leak and allow blood to settle in the surrounding tissues. The haemoglobin in red blood cells is broken down, and these by-products give a dark yellow, brown or purple discolouration depending on the volume of blood and colour of the overlying skin. Despite popular belief, you cannot age a bruise – different people's bruises change colour at different rates.




41 Why does cutting onions make us cry?

Onions make your eyes water due to their expulsion of an irritant gas once cut. This occurs because when an onion is cut with a knife, many of its internal cells are broken down, allowing enzymes to break down amino acid sulphoxides and generate sulphenic acids. These sulphenic acids are then rearranged by another enzyme and, as a direct consequence, syn-propanethial-S-oxide gas is produced, which is volatile. This volatile gas then diffuses in the air surrounding the onion, eventually reaching the eyes of the cutter, where it proceeds to activate sensory neurons and create a stinging sensation. As such, the eyes then follow protocol and generate tears from their tear glands in order to dilute and remove the irritant. Interestingly, the volatile gas generated by cutting onions can be largely mitigated by submerging the onion in water prior to or midway through cutting, with the liquid absorbing much of the irritant.



44 Why do more men go bald than women?

'Simple' male pattern baldness is due to a combination of genetic factors and hormones. The most implicated hormone is testosterone, which men have high levels of but women have low levels of, so they win (or lose?) in this particular hormone contest!



43 When we're tired, why do we get bags under our eyes?

Blood doesn't circulate around your body as efficiently when you're asleep so excess water can pool under the eyes, making them puffy. Fatigue, nutrition, age and genes also cause bags.





45 Why do we blink?

Blinking helps keep your eyes clean and moist. Blinking spreads secretions from the tear glands (lacrimal fluids) over the surface of the eyeball, keeping it moist and also sweeping away small particles such as dust.



46 How come most people have one foot larger than the other?

Most people's feet are different sizes – in fact the two halves of most people's bodies are different! We all start from one cell, but as the cells multiply, genes give them varying characteristics.

47 Why do we get itchy?

Itching is caused by the release of a transmitter called histamine from mast cells which circulate in your body. These cells are often released in response to a stimulus, such as a bee sting or an allergic reaction. They lead to inflammation and swelling, and send impulses to the brain via nerves, which causes the desire to itch.



48 Why do some hereditary conditions skip a generation?


Genes work in pairs. Some genes are 'recessive' and if paired with a 'dominant' half, they won't shine through. However, if two recessive genes combine (one from your mother and one from your father), the recessive trait will show through.

Why do amputees sometimes still feel pain in their amputated limbs?

This is 'phantom limb pain' and can range from a mild annoyance to a debilitating pain. The brain can sometimes struggle to adjust to the loss of a limb, and it can still 'interpret' the limb as being there. Since the nerves have been cut, it interprets these new signals as pain. There isn't a surgical cure as yet, though time and special medications can help lessen the pain.


Which muscle produces the most powerful contraction relative to its size?

The gluteus maximus is the largest muscle and forms the bulk of your buttock. The heart (cardiac muscle) is the hardest-working muscle, as it is constantly beating and clearly can never take a break! However, the strongest muscle based on weight is the masseter. This is the muscle that clenches the jaw shut – put a finger over the lowest, outer part of your jaw and clench your teeth and you'll feel it.




1. Taking the first step

Muscle contraction starts with an impulse received from the nerves supplying the muscle—an action potential. This action potential causes calcium ions to flood across the protein muscle fibres. The muscle fibres are formed from two key proteins: actin and myosin.




3. Binding

Now the binding sites are free on actin, the myosin heads forge strong bonds in these points. This leads to the contraction of the newly formed protein complex; when all of the proteins contract, the muscle bulk contracts.



2. Preparation

The calcium binds to troponin, which is a receptor on the actin protein. This binding changes the shape of tropomyosin, another protein that is bound to actin. These shape changes lead to the opening of a series of binding sites on the actin protein.



4. Unbinding

When the energy runs out, the proteins lose their strong bonds and disengage, and from there they return to their original resting state. This is the unbinding stage.



Cell structure explained

Ribosomes

around the cell.

Cell membrane

Surrounding and supporting each cell is a plasma membrane that controls everything that enters and exits.

The human body has over 75 trillion cells, but what are they and how do they work?


ells are life and cells are alive. You are here because every cell inside your body has a specific function and a very specialised job to do. There are many different types of cell, each one working to keep the body's various systems operating. A single cell is the smallest unit of living material in the body capable of life. When grouped together in layers or clusters, however, cells with similar jobs to do form tissue, such as skin or muscle. To keep these cells working, there are thousands of chemical reactions going on all the time.

All animal cells contain a nucleus, which acts like a control hub telling the cell what to do and contains the cell's genetic information (DNA). Most of the material within a cell is a watery, jelly-like substance called cytoplasm (cyto means cell), which circulates around the cell and is held in by a thin external membrane, which consists of two layers. Within the cytoplasm is a variety of structures called organelles, which all have different tasks, such as manufacturing proteins - the cell's key chemicals. One vital example of an organelle is a ribosome; these numerous structures can be found either floating around in the cytoplasm or attached to internal membranes. Ribosomes are crucial in the production of proteins from amino acids.

In turn, proteins are essential to building your cells and carrying out the biochemical reactions the body needs in order to grow and develop, and also to repair itself and heal.

These organelles supply cells with the energy necessary for them to carry out their functions. The amount of energy used by a cell is measured in molecules of adenosine triphosphate (ATP). Mitochondria use the products of glucose metabolism as fuel to produce the ATP.

Mitochondria



The groups of folded membranes (canals) connecting the nucleus to the cytoplasm are called the endoplasmic reticulum (ER). If

studded with ribosomes the ER is referred to as 'rough' ER; if not it is known as 'smooth' ER. Both help transport materials around the cell but also have differing functions.

> Smooth · endoplasmic reticulum

Rough endoplasmic reticulum (studded with ribosomes)

Golgi body

Another organelle, the Golgi body is one that processes and packages proteins, including hormones and enzymes, for transportation either in and around the cell or out towards the membrane for secretion outside the cell, where it can enter the bloodstream.



Cell anatomy



Types of human cell

So far, around 200 different varieties of cell have been identified, and they all have a very specific function to perform. Discover the main types and what they do...

NERVE CELLS

The cells that make up the nervous system and the brain are nerve cells or neurons. Electrical messages pass between nerve cells along long filaments called axons. To cross the gaps between nerve cells (the synapse) that electrical signal is converted into a chemical signal. These cells enable us to feel sensations, such as pain, and they also enable us to move.

are involuntary, which is fortunate because they are used to keep your heart beating. Found in the walls of the heart, these muscles create their own stimuli to contract without input from the brain. Smooth muscles, which are pretty slow and also involuntary, make up the linings of hollow structures such as blood vessels and your digestive tract. Their wave-like contraction aids the transport of blood around the entire body and the digestion of food.

BONE CELLS

The cells that make up bone matrix – the hard structure that makes bones strong – consist of three main types. Your bone mass is constantly changing and reforming and each of the three bone cells plays its part in this process. First the osteoblasts, which come from bone marrow, build up bone mass and

structure. These cells then become buried in the matrix at which point they become known as osteocytes. Osteocytes make up around 90 per cent of the cells in your skeleton and are responsible for maintaining the bone material. Finally, while the osteoblasts add to bone mass, osteoclasts are the cells capable of dissolving bone and changing its mass.

PHOTORECEPTOR CELLS

The cones and rods on the retina at the back of the eye are known as photoreceptor cells. These contain light-sensitive pigments that convert the image that enters the eye into nerve signals, which the brain interprets as pictures. The rods enable you to perceive light, dark and movement, while the cones bring colour to your world.

The cells in your liver are responsible for regulating the composition of your blood. These cells filter out toxins as well as controlling fat, sugar and amino acid levels. Around 80 percent of the liver's mass consists of hepatocytes, which

are the liver's specialised cells that are involved with the production of proteins and bile.

MUSCLE CELLS

There are three types of muscle cell
- skeletal, cardiac and smooth - and
each differs depending on the
function it performs and its location
in the body. Skeletal muscles
contain long fibres that attach to
bone. When triggered by a nerve
signal, the muscle contracts and pulls
the bone with it, making you move. We
can control skeletal muscles because they
are voluntary. Cardiac muscles, meanwhile,

FAT CELLS

These cells - also known as adipocytes or lipocytesmake up your adipose tissue, or body fat, which can cushion, insulate and protect the body. This tissue is found beneath your skin and also surrounding your other organs. The size of a fat cell can increase or decrease depending on the amount of energy it stores. If we gain weight the cells fill with more watery fat, and eventually the number of fat cells will begin to increase. There are two types of adipose tissue: white and brown. The white adipose tissue stores energy and insulates the body by maintaining body heat. The brown adipose tissue, on the other hand, can actually create heat and isn't burned for energy - this is why

end without food.

hibernate for months or

animals are able to

Epithelial cells make up
the epithelial tissue that
lines and protectsyour organs
and constitute the primary
material of your skin. These tissues
form a barrier between the precious organs and
unwanted pathogens or other fluids. As well as
covering your skin, you'll find epithelial cells inside
your nose, around your lungs and in your mouth.

RED BLOOD CELLS

Unlike all the other cells in your body, your red blood cells (also known as erythrocytes) do not contain a nucleus. You are topped up with around

opped up with around 25 trillion red blood cells-that's a third of all your cells, making th

cells, making them
the most common cell
found in your body. Formed in the bone
marrow, these cells are important
because they carry oxygen to all the
different tissues in your body. Oxygen is
carried in haemoglobin, a pigmented
protein that gives the blood cells their
recognisable red colour.





Inside a nucleus

Dissecting the control centre of a cell

urrounded by cytoplasm, the nucleus contains a cell's DNA and controls all of its functions and processes such as movement and reproduction.

There are two main types of cell: eukaryotic and prokaryotic. Eukaryotic cells contain a nucleus while prokaryotic do not. Some eukaryotic cells have more than one nucleus called multinucleate cells - occurring when fusion or division creates two or more nuclei.

At the heart of a nucleus you'll find the nucleolus; this particular area is essential in the formation of ribosomes. Ribosomes are

responsible for making proteins out of amino acids which take care of growth and repair.

The nucleus is the most protected part of the cell. In animal cells it is located near its centre and away from the membrane for maximum cushioning. As well as the jelly-like cytoplasm around it, the nucleus is filled with nucleoplasm, a viscous liquid which maintains its structural integrity.

Conversely, in plant cells, the nucleus is more sporadically placed. This is due to the fact that a plant cell has a larger vacuole and there is added protection which is granted by a cell wall.

Central command

Take a peek at what's happening inside the 'brain' of a eukaryotic cell

Nuclear pore

These channels control the movement of molecules between the nucleus and cytoplasm.

Nuclear envelope

Acts as a wall to protect the DNA within the nucleus and regulates cytoplasm access.

Nucleolus

Made up of protein and RNA, this is the heart of the nucleus which manufactures ribosomes.

Nucleoplasm

This semi-liquid, semi-jelly material surrounds the nucleolus and keeps the organelle's structure.

6 Chromatin

Produces chromosomes and aids cell division by condensing DNA molecules.

Nucleus in context Explore the larger body that a nucleus rules over and meet its 'cellmates **Nucleus** a nucleus? Ribosomes Made up of two separate Mitochondrion entities, ribosomes make With a double-membrane, this proteins to be used both produces energy for the cell by inside and outside the cell. breaking down nutrients via

Golgi apparatus

Named after the Italian biologist Camillo Golgi, they create lysosomes and also organise the proteins for secretion.


cellular respiration

Lysosome

Small and spherical. this organelle contains digestive enzymes that attack invading bacteria.

How do cells survive without

Prokaryotic cells are actually much more basic than their eukaryotic counterparts. Not only are they up to 100 times smaller but they also are mainly a comprising species of bacteria, prokaryotic cells have fewer functions than other cells, so they do not require a nucleus to act as the control centre for the organism. Instead, these cells have their DNA moving around the cell rather than being housed in a nucleus. They have no chloroplasts, no membrane-bound organelles and they don't undertake cell division in the form of mitosis or meiosis like eukaryotic cells do. Prokaryotic cells divide asexually with DNA molecules replicating themselves in a process that is known as binary fission.



What are stem cells?

Understand how these building blocks bring new life

tem cells are incredibly special because they have the potential to become any kind of cell in the body, from red blood cells to brain cells. They are essential to life and growth, as they repair tissues and replace dead cells. Skin, for example, is constantly replenished by skin stem cells.

Stem cells begin their life cycle as generic, featureless cells that don't contain tissue-specific structures, such as the ability to carry oxygen. Stem cells become specialised through a process called differentiation. This is triggered by signals inside and outside the cell. Internal signals come from strands of DNA that carry information for all cellular structures, while external signals include chemicals from nearby cells. Stem cells can replicate many times – known as proliferation

 while others such as nerve cells don't divide at all.


There are two stem cell types, as Professor Paul Fairchild, codirector of the Oxford Stem Cell Institute at Oxford Martin School explains: "Adult stem cells are multipotent, which means they are able to produce numerous cells that are loosely related, such as stem cells in the bone marrow can generate cells that make up the blood," he says. "In contrast, pluripotent stem cells, found within developing embryos, are able to make any one of the estimated 210 cell types that make up the human body."

This fascinating ability to transform and divide has made stem cells a rich source for medical research. Once their true potential has been harnessed, they could be used to treat a huge range of diseases and disabilities.

Cloning cells

Scientists can reprogram cells to forget their current role and become pluripotent cells indistinguishable from early embryonic stem cells. Induced pluripotent stem cells (IPSCs) can be used to take on the characteristics of nearby cells. IPSCs are more reliable than stem cells grown from a donated embryo because the body is more likely to accept self-generated cells. IPSCs can treat degenerative conditions such as Parkinson's disease and baldness, which are caused by cells dying without being replaced. The IPSCs fill those gaps in order to restore Fairchild explains the process to us: "By deriving these cells from individuals with rare conditions, we are able to model the condition in the laboratory and drugs on that disease.





Described as the most complex thing in the universe, our brains are truly astonishing

he brain makes up just two per cent of our total body weight, but crammed inside are approximately 86 billion neurons, surrounded by 180,000 kilometres of insulated fibres connected at 100 trillion synapses. It's a vast biological supercomputer.

The cells in the brain communicate using electrical signals. When a message is sent, thousands of microscopic channels open, allowing positively charged ions to flood across the membrane. Afterwards, more than 1 million miniature pumps in each cell move the ions back again ready for the next impulse.

The cell bodies of the neurons, and their connections, are contained within the grey matter, which consumes 94 per cent of the oxygen delivered to the brain. Different areas are responsible for different functions, and wiring them together is a fatty network of fibres called white matter.

When a signal reaches the end of a nerve cell, tiny packets of chemical signals spill out onto the surrounding neurons. These connections, called synapses, allow messages to be passed from one cell to the next. Each neuron can receive thousands of inputs, coordinating them in time

and space, and by type of chemical, to decide what to do next.

Scientists have been electrically and chemically stimulating the brain to see how it responds to different signals, recording electrical activity to map thoughts and using imaging like functional MRI to track the blood flow increases that reveal when nerve cells are firing. The cells of the brain can also be studied inside the lab. Thanks to these investigations, we know more about this incredible structure than ever before, but our understanding is only just beginning. There is so much more to learn.

Brain development


From a single cell to an incredibly intricate

network in just nine months

Within weeks of fertilisation, neural progenitors start to form; these stem cells will go on to become all of the cells of the central nervous system. They organise into a neural tube when the embryo is barely the size of a pen tip, and then patterning begins, laying out the structural organisation of the brain and spinal cord. At its peak growth rate, the developing brain can generate 250,000 new neurons every minute. By the time a baby is born, the process still isn't complete. But, by the age of two, the brain is 80 per cent of its adult size.


Brain formation

This astonishing structure is formed and refined as pregnancy progresses




4 weeks

Brain development starts just three weeks after fertilisation. The first structure is the neural tube, which divides into regions that later become the forebrain. midbrain, hindbrain and spinal cord.




11 weeks

As the embryo becomes larger, the brain continues to increase in size and neurons migrate and organise. The surface of the brain gradually begins to fold. At this point, a foetus only measures about five centimetres in length.




Pyramidal neurons, like these, are found in the hippocampus, cortex and amygdala

efficient, using less energy than a standard lightbulb



6 weeks

The pattern of the brain and spinal cord is now laid out and is gradually refined, controlled by gradients of signalling molecules that assign different areas for different functions.




Birth

Before a baby is born, around half of the nerve cells in the brain are lost and connections are pruned, leaving only the most useful. This process continues after birth.

Why the brain is wrinkled

The brain folds in on itself to cram in more processing power

The folds and pockets of our brains are a biological rarity that we only share with a few other species, including dolphins, some primates and elephants. It's a clever evolutionary adaptation that allows intelligent species to squash a huge amount of cortical tissue into a small space, allowing enormous brainpower to be crammed into our relatively small skulls. Folding starts during the second trimester of pregnancy, creating ridges (gyri) and fissures (sulci), but the biology behind the distinctive wrinkles is stranger than you might think. The organisation of the brain is determined by complex cascades of chemical signals, but the overall shape seems to be the result of simple physics. Grey matter sits on the outside of the brain and, during development, its growth rapidly outpaces the growth of white matter underneath. This puts mechanical stress on the structure, forcing the outside to buckle and curl.



higher intelligence (brain sizes not to scale)

"Our brains contain 86 billion neurons and 180,000 kilometres of fibres"

Research has shown that certain areas of the adult brain can continue to produce new

The brain can

Making memories

The brain can store around 1 million gigabytes of data

A team at the Salk Institute in California estimate that the brain can store around 1 petabyte of information, stuffed into the connections between nerve cells. That's around 2,000 years worth of MP3 music or 223,000 DVDs. And, incredibly, it's possible to watch memories being made.

The Weizmann Institute in Israel and UCLA in the US captured memory formation in action. Patients watched clips of videos and were then asked to recall what they'd seen.

The neurons that lit up when they watched the first time lit up again as they relived the experience inside of their heads - a bit like an echo in the brain.

Recent research from the US and Japan suggests that these echoes are actually stored twice – once in the hippocampus and again in the cortex. The hippocampus handles short-term storage and gradually forgets, but as it does so it helps to reinforce the memory in the cortex, allowing long-term recall.



Selfcleaning brains


We have a built-in system to clear toxic waste from between our brain cells

Sleep is one of the brain's great mysteries, but research on mice has revealed an intriguing night time cleanup system. The brain is shielded by a barrier made and maintained by cells called astrocytes. They hug the blood vessels, controlling what's allowed in and out, and a space between the vessel wall and these cells seems to play a crucial role in keeping the brain clean.

At night, the astrocytes relax their grip and the space fills up with a clear liquid called cerebrospinal fluid (CSF). It's pushed along by the movement of the blood vessels underneath, swishing up through the astrocytes and out into the spaces between brain cells. As it passes, it picks up waste and debris, carrying the particles back towards the bloodstream so that they can be removed from the brain.

Waste

Brain cells are constantly creating waste products that can cause damage if they're allowed to build up.



How do nerves work?

Nerves carry signals throughout the body – a chemical superhighway


Nerves are the transmission cables that carry brain waves in the human body, says Sol Diamond, an assistant professor at the Thayer School of Engineering at Dartmouth. According to Diamond, nerves communicate these signals from one point to another, whether from your toenail up to your brain or from the side of your head.

Nerve transmissions

Some nerve transmissions travel great distances through the human body, others travel short distances – both use a de-polarisation to create the circuit. De-polarisation is like a wound-up spring that releases stored energy once it is triggered.

Myelinated and un-myelinated

Some nerves are myelinated (or insulated) with fatty tissue that appears white and forms a slower connection over a longer distance. Others are un-myelinated and are un-insulated. These nerves travel shorter distances.



What does the spinal cord do?

The spinal cord actually is part of the brain and plays a major role


Scientists have known for the past 100 years or so that the spinal cord is actually part of the brain. According to Melillo, while the brain has grey matter on the outside (protected by the skull) and protected white matter on the inside, the spinal cord is the reverse: the grey matter is inside the spinal cord and the white matter is outside.

Grey matter cells

Grey matter cells in the spinal cord cannot regenerate, which is why people with a serious spinal cord injury cannot recover over a period of time. White matter cells can re-generate.

White matter cells

White matter cells in the spinal cord carry the electro-chemical pulses up to the brain. For example, when you are kicked in the shin, you feel the pain in the shin and your brain then tells you to move your hand to cover that area.






Inside the human eye

Uncovering one of the most complex constructs in the natural world

he structure of the human eye is so incredibly complex that it's actually hard to believe that it's not the product of intelligent design. But by looking at and studying the eyes of various other animals, scientists have been able to show that eyes have evolved very gradually from just a simple light-dark sensor over the course of around 100 million years. The eye functions in a

very similar way to a camera, with an opening through which the light enters, a lens for focusing and a light-sensitive membrane. The amount of light that enters the eye is controlled by the circular and radial muscles in the iris, which contract and relax to alter the size of the pupil. The light first passes through a tough protective sheet called the cornea, and then moves into the lens. This

adjustable structure bends the light, focusing it down to a point on the retina, at the back of the eye. The retina is covered in millions of light-sensitive receptors known as rods and cones. Each receptor contains pigment molecules, which change shape when they are hit by light, which triggers an electrical message that then travels to the brain via the optic nerve.




How the eye focuses


The tiny rings of muscle that make your vision sharp

ameras and human eyes both focus light using a lens. This structure bends the incoming wavelengths so that they hit the right spot on a photographic plate, or on the back of the eye. A camera lens is made from solid glass, and focuses on near and distant objects by physically moving closer or further away. A biological lens is actually squishy, and it focuses by physically changing shape.

In the eye, this process is known as 'accommodation', and is controlled by a ring of smooth muscle called the ciliary muscle. This is attached to the lens by fibres known as suspensory ligaments. When the muscle is relaxed, the ligaments pull tight, stretching the lens until it is flat and thin. This is perfect for looking at objects in the distance.

When the ciliary muscle contracts, the ligaments loosen, allowing the lens to become fat and round. This is better for looking at objects that are nearby. The coloured part of the eye (called the iris) controls the size of the pupil and ensures the right amount of light gets through the lens.





Far

A flat, thin lens is

good for looking at

distant objects.


contracts, the ligaments slacken off.

Near

A round, fat lens is

good for looking at

nearby objects.





How ears work


The human ear performs a range of functions, but how do they work?

he thing to remember when learning about the human ear is that sound is all about movement. When someone speaks or makes any kind of movement, the air around them is disturbed, creating a sound wave of alternating high and low frequency. These waves are detected by the ear and interpreted by the brain as words, tunes or sounds.

Consisting of air-filled cavities, labyrinthine fluid-filled channels and highly sensitive cells, the ear has external, middle and internal parts. The outer ear consists of a skin-covered flexible cartilage flap called the 'auricle', or 'pinna'. This feature is shaped to gather sound waves and amplify them before they enter the ear for processing and transmission to the brain. The first thing a sound wave entering the ear encounters is the sheet of tightly pulled tissue separating the outer and middle ear. This tissue is the eardrum, or tympanic membrane, and it vibrates as sound waves hit it.

Beyond the eardrum, in the air-filled cavity of the middle ear, are three tiny bones called the 'ossicles'. These are the smallest bones in the human body. Sound vibrations hitting the eardrum pass to the first ossicle, the malleus (hammer). Next the waves proceed along the incus (anvil) and then on to the (stapes) stirrup. The stirrup presses against a thin layer of tissue called the 'oval window', and this membrane enables sound waves to enter the fluid-filled inner ear.


The inner ear is home to the cochlea, which consists of watery ducts that channel the vibrations, as ripples, along the cochlea's spiralling tubes. Running through the middle of the cochlea is the organ of Corti, which is lined with minute sensory hair cells that pick up on the vibrations and generate nerve impulses that are sent to the brain as electrical signals. The brain can interpret these signals as sounds.



Cochlea Incus (anvil) Connected to the hammer, the incus is the middle osside bone transforms them into electrical als that are transmitted to the brain. There are three Stapes (stirrup) The stirrup is the third ossicle bone attaches to the oval window at the vestibular canal, the tympanic base of the cochlea. Movements transferred from the outer ear to the middle ear now continue their journey through the fluid of the inner ear Organ of Corti The organ of Corti contains rows of sensitive hair cells, the tips of which are embedded in the tectorial membrane. When the membrane vibrates, the hair through the cochlear nerve to the brain. Cochlear nerve Sends nerve impulses with information about sounds from the cochlea to the brain. Şcala tympani (tympánic canal) The vestibular canal and this, the tympanic canal, meet at the apex of the cochlear spiral (the helicotrema).

Think of sounds as movements, or disturbances of air, that create waves

The vestibular system



A sense of balance

The vestibular system functions to give you a sense of which way your head is pointing in relation to gravity. It enables you to discern whether your head is upright or not, as well as helping you to maintain eye contact with stationary objects while your head is turning.

Also located within the inner ear, but less to do with sound and more concerned with the movement of your head, are the semicircular canals. Again filled with fluid, these looping ducts act like internal accelerometers

that can actually detect acceleration (ie, movement of your head) in three different directions due to the positioning of the loops along different planes. Like the organ of Corti, the semicircular canals employ tiny hair cells to sense movement. The canals are connected to the auditory nerve at the back of the brain.

Your sense of balance is so complex that the area of your brain that's purely dedicated to this one role involves the same number of cells as the rest of your brain cells put together.





Your Skeleton

This incredible living framework provides more than just

structural support

he 206 bones of the adult human skeleton make up a strong, flexible framework that protects our vital organs and allows our bodies to move, as well as being a mineral store and stem-cell reserve.


Bone is a composite material, constructed from three basic ingredients: collagen strands, a sugary protein glue and inorganic calcium salts. The collagen fibres are arranged in alternating layers that cross over one another, thereby providing a flexible scaffold, and calcium salts are glued in between for strength and rigidity.

The outside of each bone is composed of plates, or hollow tubes, of dense cortical bone, supported on the inside by a honeycomb network of spongy trabecular bone. This network is slightly flexible and helps to distribute the load, curving the tensile and compressive forces across the ends of the bone, while providing maximum strength.

Spongy bone is also home to the bone marrow, which houses stem cells capable of producing most of the cells of the blood and immune system. They are constantly active, and millions upon millions of new red and white blood cells are produced every minute.

Embedded within the bone matrix are cells known as osteocytes. They do not move, but are capable of detecting stresses inside the bone itself, and can trigger the formation of new bone in a process known as remodelling. The old bone is broken down by large cells, which are called osteoclasts, and new collagen and minerals are deposited by smaller osteoblasts.

Together, the two cell types are able to release and store calcium and phosphorous in the skeleton for use elsewhere in the body. They are under the influence of hormones released by glands in the brain, and when levels of minerals run low in the body, the signals encourage the osteoclasts to begin wearing away at the surface of the bone, releasing minerals into the bloodstream. When mineral levels are high, osteoblasts lay down new bone and this replenishes the store.



BELOW Cells

known as

osteoclasts

constantly

remodel the

surface of bone

Bone structure

The long bones are formed into tubes, closed at both ends and capped with cartilage

Red bone marrow

Blood cells are produced in red bone marrow, found between the gaps in the honeycomb structure of the spongy bone at either end.

Blood vessels

Blood vessels travel into and out of the bone through canals in the compact surface.

Spongy bone

This disorganised honeycomb

structure is more flexible than compact bone, and its large surface area supports blood-cell production and calcium exchange.

Endosteum

The inner surface of the bone is lined by a single layer of cells.

> Spongy bone has a characteristic oneycomb structure

Newborn

In the womb, most of the skeleton is made of cartilage, but gradually minerals are laid down and it is converted to bone in a process known as ossification.

Epiphysis

The ends of the long bon act as shock absorbers, with a casing of tough compact bone supported by a spongy core.

Articular cartilage

The end surfaces of the bones are covered in thick, slippery cartilage, preventing wear at the joints.

Compact bone

The outside of the bone is arranged in an orderly, layered structure, providing strength and rigidity.

Periosteum

Adult

The outside of the bone is covered in a layer of connective tissue, containing cells involved in growth and repair.

producing cartilage.

preventing the bones from

lengthening any further.

Diaphysis The shafts of the long

bones are constructed from densely packed compact bone.

Child Medullary cavity

The centre of the long bones is filled with yellow bone marrow, containing mainly fat cells.

How bones grow

Growth

plate

Secondary

ossification centre

Marrow cavity

The growth plate itself is turned to bone, and stops


Cartilage continues to form at the growth plates, and calcium salts are added at the secondary ossification centre, lengthening the bone at both ends.

> Ossified growth plate

Blood supply

Bone marrow cells

There are two types of bone marrow in the human body; yellow marrow is found in the shafts of the long bones, like the femur, and red marrow is mainly found in the flat bones, like the ribs. Yellow marrow is mostly made up of large fat cells, whilst red marrow contains stem cells. These are capable of producing most of the cells of the blood and immune system, and concealed within the bones are many immature cells in the process of development.





Skeletal system

our guide to the human skeleton

supporting the central nervous system and protecting the vital organs from damage. The appendicular bones are attached to this central support, and include the bones including the skull, spine, rib cage and pelvis. These bones have a protective role, appendicular bones. The axial bones form the central core of the skeletal system, of the arms and legs. Their major function is movement, providing rigid jointed There are two major parts to the human skeleton: the axial bones and the structures onto which the muscles are attached.

Hyoid

bone is not attached to the helps to provide an anchor rest of the skeleton, but it This horseshoe-shaped point for the tongue, enabling us to speak

cartilage, providing and allowing the rib a flexible linkage cage to contract anchored to the Sternum sternum by The ribs are

ABOVE Females have a larger

opening inside the pelvis,

aiding childbirth

Forearm

radius bears weight near near the elbow, and the forearm split the load; the ulna bears weight The two bones of the the wrist.

ABOVE The male pelvis is

relatively narrow and the opening is heart-shaped



in the body can be found in the ear, where they help to The three smallest bones Auditory ossicles transmit vibrations. The shoulder blades and collar bones work Pectoral girdle

The skull

the arms to the torso.

together to anchor

The skull is constructed out of 22 plates of flat organised cortical bone, sandwiched around a jawbone. They are made from a thick layer of bone, 21 of which are permanently fused together. The other is the mandible, or centre of spongy bone.

Arm

The humerus makes joint at the shoulder, and a hinge joint at a ball-and-socket the elbow.

eplace your years to skeleton entire

Most people have 12 pairs of

spinal column and stemum, around the heart and lungs.

form a protective cage

ribs that, together with the

The spine

each of which attaches to a pair of 12 thoracic vertebrae in the chest, ribs, and five load-bearing lumbar vertebrae in the lower back. The column, divided into categories

according to their shape and location. remainder of the vertebrae are fused There are seven cervical in the neck, There are 33 vertebrae in the spinal to form the sacrum and coccyx.

bones in the human hand

Wrist, hand and fingers

C Learn more Get your own giant

> There are 27 bones in each hand, eight of which make up the wrist.

1.3m high poster to

bone in the human

help explore every


Lower limb

anchoring the muscles of the foot. bone) and the tibia (shin bone), supported by the femur (thigh while the fibula is involved in The weight of the body is

www.uAnatomy.com. anatomically detailed artist, Joanna Culley. skeleton - great for A matching muscle home and schools. Drawn to scale and by leading medical available, all from poster is also

Shock absorbers

water, so as a result, the entire tissue is filled with fluid. It tissue known as fibrocartilage, made up of long chains of Between the vertebrae of the spine are disks of a springy collagen and bound together by a gel of sugary proteins, known as glycoproteins. These have a strong affinity for acts like suspension, compressing and deforming under oad and protecting the bones from the stress of day-to-day impact.



together by a series in each foot, held of ligaments.

between each vertebra

A disk of cartilage

ntervertebral

provides cushioning

and protection.

Spinous process

spongy bone and red

bone marrow.

Vertebral body contains a core of

Each vertebra

vertebrae in the spine protruding bone at the back of each vertebra.

Muscles attach to



Articular process Each vertebra has four articular processes,

connected to the adjacent vertebrae by ligaments.



Joints


For individual bones to function together, they must be linked by joints

Some bones, like those in the skull, do not need to move, and are permanently fused together with mineral sutures. These are known as fixed joints and provide maximum stability.

However, most bones need flexible linkages. In some parts of the skeleton, partial flexibility is sufficient, so all that the bones require is a little cushioning to prevent rubbing. The bones are joined by a rigid gel-like tissue known as cartilage, which allows for a small range of compression and stretching. These types of joints are used where the ribs meet the sternum, to provide flexibility when breathing, and between the stacked vertebrae of the spinal column, allowing it to bend and flex without crushing the spinal cord.

Most joints require a larger range of movement. Covering the ends of the bones in cartilage provides shock absorption, but for them to move freely in a socket, the cartilage must be lubricated to make it slippery and wear-proof. At synovial joints, the ends of the two bones are encased in a capsule, covered on the inside by a synovial membrane, which fills the joint with synovial fluid, allowing the bones to slide smoothly past one another.

There are different types of synovial joint, each with a different range of motion. Ball-and-socket joints are used at the shoulder and hip, and provide a wide range of motion, allowing the curved surface at the top end of each limb to slide inside a cartilage covered cup. The knees and elbows have hinge joints, which interlock in one plane, allowing the joint to open and close. For areas that need to be flexible, but do not need to move freely, such as the feet, gliding joints allow the bones to slide small distances without rubbing together.



Hypermobility

Some people have particularly flexible joints, so have a much larger range of motion than others. This is sometimes known as being 'double jointed.' It is thought to result from a combination of factors, including the structure of the collagen in the joints, the shape of the end of the bones, and the tone of the muscles around the joint.

Mobile


The synovial joints are the most mobile in the human body. The ends of the bones are linked by a capsule, which contains a fluid lubricant, allowing the bones to slide past one another as they move. Synovial joints come in different types, including ball-and-socket, hinge, and gliding, and they are the most common type of joint in the body.


Semimobile

Cartilaginous joints do not allow free motion, but provide cushioning for smaller movements. Instead of a lubricated capsule, the bones are joined by fibrous or hyaline cartilage. The linkage provides less flexibility than a synovial joint, but acts as a shock absorber, so the bones can move apart and together over small distances.

Fixed

Some bones do not need to move relative to one another, so instead of a flexible joint, they are permanently fused. The best example is the cranium, which starts out as separate pieces, allowing the foetal head to change shape to fit through the birth canal, and fuses after birth to encase the brain in a solid protective skull.





Inside the thoracic cavity

It may not look like it at first glance, but there are more than two dozen bones that make up the ribcage...

Clavicle

Also known as the collarbone, this pair of long bones is a support between the sternum and the shoulder blades.

True ribs -

Rib pairs one through seven attach to the sternum directly via a piece of cartilage.

False ribs

Rib pairs eight through ten connect to the sternum via a structure made of cartilage linked to the seventh true rib.

The human ribcage

Ribs are not merely armour for the organs inside our torsos, as we reveal here...

he ribcage – also known as the thoracic cage or thoracic basket – is easily thought of as just a framework protecting your lungs, heart and other major organs. Although that is one key function, the ribcage does so much more. It provides vital support as part of the skeleton and, simply put, breathing wouldn't actually be possible without it.

All of this means that the ribcage has to be flexible. The conical structure isn't just a rigid system of bone – it's actually both bone and cartilage. The ribcage is comprised of 24 ribs that are joined in the back to the 12 vertebrae that make up the middle of the spinal column.

The cartilage portions of the ribs meet in the front at the long, flat three-bone plate called the sternum (breastbone). Or rather, most of them do. Rib pairs

one through seven are called 'true ribs' because they attach directly to the sternum. Rib pairs eight through ten attach indirectly through other cartilage structures, so they're referred to as 'false ribs'. The final two pairs—the 'floating ribs'—hang unattached to the sternum.


Rib fractures are a common and very painful injury, with the middle ribs the most likely ones to get broken. A fractured rib can also be very dangerous, because a sharp piece could pierce the heart or lungs.

There's also a condition called flail chest, in which several ribs break and then detach from the cage, which can even be fatal. But otherwise there's not much you can do to mend a fractured rib other than keep it stabilised, resting and giving it time to heal.

What are hiccups?

Hiccupping – known medically as singultus, or synchronous diaphragmatic flutter (SDF) – is an involuntary spasm of the diaphragm that can happen for a number of reasons. Short-term causes include eating or drinking too quickly, a sudden change in body temperature or shock.

However, some researchers have suggested that hiccupping in premature babies – who tend to hiccup much more than full-term babies – is due to their underdeveloped lungs. It could be an evolutionary leftover, since hiccupping in humans is similar to the way that amphibians gulp water and air into their gills to breathe.




the rest of the body.

even greater. Birds' ribs overlap one

Breathe in, breathe out...

Consciously take in a breath, and think about the fact that there are ten different muscle groups working together to make it happen. The muscles that move the ribcage itself are the intercostal muscles. They are each attached to the ribs and run between them. As you inhale, the external intercostals raise the ribs and sternum so your lungs can expand, while your diaphragm lowers and flattens. The internal intercostals lower the ribcage when you exhale. This forces the lungs to compress and release air (working in tandem with seven other muscles). If you breathe out gently, it's a passive process that doesn't require much ribcage movement.

Inhalation As you inhale, the intercostal muscles Contraction The diaphragm contracts by moving downward, allowing the lungs to fill with air.





Exhalation The intercostal muscles relax as we exhale, compressing and lowering the ribcage.

Relaxation The diaphragm relaxes, moving upward to force air out of the lungs.

r



he human hand is an important part of the body that allows individuals to manipulate their surroundings, and gather large amounts of data from their environment. A hand is generally defined as the terminal aspect of the human arm, which consists of prehensile digits, an opposable thumb, and a wrist and palm. Although many other animals have similar structures, only primates and a limited number of other vertebrates can be said to have a 'hand', due to the need for an opposable thumb to be present and the degree of extra articulation that the human hand can achieve. Due to this extra articulation, humans have developed fine motor skills allowing for much increased control in this limb. Consequently we see improved ability to grasp and grip items and development of skills such as writing.


A normal human hand is made up of five digits, the palm and wrist. It consists of 27 bones, tendons, muscles and nerves, with each fingertip containing numerous nerve endings, making the hand a crucial area for gathering information from the surrounding environment using one of man's most crucial five senses: touch. The muscles interact together with tendons to allow fingers to bend, straighten, point and, in the case of the thumb, rotate. However, the hand can often be injured due to the number of ways we use it. One in ten injuries in A&E are hand related, and there are several disorders that can affect the hand development whilst still in the womb, such as polydactyly, where an individual is born with extra digits that are often still in perfect working order.

The human hand

We take our hands for granted, but they are actually quite complex and have been crucial in our evolution

Bones in the hand


The human hand contains 27 bones, and these are divided up into three distinct groups: the carpals, metacarpals and phalanges. These groups are then broken down into another three different categories: the proximal phalanges, the intermediate phalanges and then the distal phalanges. Eight bones are situated in the wrist and these are collectively called the carpals. The metacarpals, which are situated in the palm of the hand, account for a further five out of the 27 bones. While each finger has three phalanges, the thumb only has two. The intrinsic muscles and tendons control the movement of the digits and hand, and are attached to the extrinsic muscles that extend further up into the arm, flexing the digits.



Muscles and other structures

The movements and articulations of the hand and by the digits are not only controlled by tendons but also two muscle groups situated within the hand and wrist. These are the extrinsic and intrinsic muscle groups, so named as the extrinsics are attached to muscles which extend into the forearm, whereas the intrinsics are situated within the hand and wrist. The flexors and extensors, which make up the extrinsic muscles, use either exclusively tendons to attach to digits they control (flexors) or a more

complex mix of tendons and intrinsic muscles to operate (extensors). These muscles will contract in order to cause digit movement, and flexors and extensors work in a pair to complement each to straighten and bend digits. The intrinsic muscles are responsible for aiding all extrinsic muscle action and any other movements in the digits and have three distinct groups; the thenar and hypothenar (referring to the thumb and little finger respectively), the interossei and the lumbrical.



Ulnar nerve

This nerve stretches down the forearm into the hand and allows for sensory information to be passed from hand to brain.

Hypothenar muscle (intrinsic)

Hypothenar refers to the little finger and this muscle group is one of the intrinsic muscles.

Mid palmar space

Tendons and intrinsic muscles primarily inhabit this space within the hand.

Opposable thumbs

Increased articulation of the thumb has been heralded as one of the key factors in increased control and grip, and has allowed for tool use in order to develop

ancestors as well as other primates. This has later also

facilitated major cultural advances, such as writing. Alongside the four other flexible digits, the opposable thumb makes the human hand one of the most dexterous in the world. A thumb can only be classified as opposable when it can be brought opposite to the other digits.

Left-handed or right-handed?

The most common theory for why some individuals are left-handed is that of the disappearing twin'. This supposes that the left-handed individual was actually one of a set of twins, but that in the early stages of development the other, right-handed, twin died. However, it's been found that dominance of one hand is directly linked with hemisphere dominance in the brain, as in many other paired organs.

Individuals who somehow damage their dominant hand for extended periods of time can actually change to use the other hand, proving the impact and importance of environment and extent to which humans can adapt.

Forearm muscles

Arteries, veins and nerves —

oxygenated blood (and

take away deoxygenated

blood) to hand muscles.

These supply fresh

Extrinsic muscles are so called because they are primarily situated outside the hand, the body of the muscles situated along the underside or front of the forearm. This body of muscles actually breaks down into two quite distinct groups: the flexors and the extensors. The flexors run alongside the underside of the arm and are responsible for allowing the bending of the individual digits. whereas the extensor muscles' main purpose is the reverse this action, to straighten the digits. There are both deep and superficial flexors and extensors, and which are used at any one time depends on the digit to be moved.

Insertion of flexor tendon flexor muscle to the finger bones to

This is where the tendon attaches the allow articulation.

Tendons and intrinsics

These attach the flexor muscles to the phalanges, and facilitate bending. Tendons also interact with the intrinsics and extensors in the wrist, palm and forearm to straighten the digits.

Thenars

The intrinsic group of muscles is used to flex the thumb and control its sideways movement.

Superficial flexors

The other flexor that acts on the digits is the superior flexor, which attaches to the intermediate phalanges.

Deep flexors

© Science photo library

The digits have two extrinsic flexors that allow them to bend, the deep flexor and the superficial. The deep flexor attaches to the distal phalanges

Extensors

Extensors on the back of the forearm straighten the digits. Divided into six sections, their connection to the digits is complex.



How do your feet work?

Feet are immensely complex structures, yet we put huge amounts of pressure on them every day. How do they cope?

he human foot and ankle is crucial for locomotion and is one of the most complex structures of the human body. This intricate structure is made up of no less than 26 bones, 20 muscles, 33 joints - although only 20 are articulated - as well as numerous tendons and ligaments. Tendons connect the muscles to the bones and facilitate movement of the foot, while ligaments hold the tendons in place and help the foot move up and down to initiate walking. Arches in the foot are formed by ligaments, muscles and foot bones and help to distribute weight, as well as making it easier for the foot to operate efficiently when walking and running. It is due to the unique structure of the foot and the way it distributes pressure throughout all aspects that it can withstand constant pressure throughout the day. One of the other crucial functions of the foot is to aid balance, and toes are a crucial aspect of this. The big toe in particular helps in this area, as we can grip the ground with it if we feel we are losing balance.

The skin, nerves and blood vessels make up the rest of the foot, helping to hold the shape and also supplying it with all the necessary minerals, oxygen and energy to help keep it moving easily and constantly.

What happens when you sprain your ankle?

A sprained ankle is the most common type of soft tissue injury. The severity of the sprain can depend on how you sprained the ankle, and a minor sprain will generally consist of a stretched or only partially torn ligament. However, more severe sprains can cause the ligament to tear completely, or even force a piece of bone to break off. Generally a

sprain will happen when you lose balance or slip, and the foot bends inwards towards the other leg.

This then overstretches the ligaments and causes the

This then overstretches the ligaments and causes the damage. Actually, over a quarter of all sporting injuries are sprains of the ankle.

The structure of the foot and how the elements work together

Toes

Terminal aspects of the foot that aid balance by grasping onto the ground. They are the equivalent of fingers in the foot structure.

Muscles - including the extensor digitorum brevis muscle

Muscles within the foot help the foot lift and articulate as necessary. The extensor digitorum brevis muscle sits on the top of the foot, and helps flex digits two-four on the foot.

Blood vessels

These supply blood to the foot, facilitating muscle operation by supplying energy and oxygen and removing deoxygenated blood.

Ligaments

Ligaments support the tendons and help to form the arches of the foot, spreading weight across it.

Tendons (extensor digitorum longus, among others)


Fibrous bands of tissue which connect muscles to bones. They can withstand a lot of tension and link various aspects of the foot, facilitating movement.

Tibia

The larger and stronger of the lower leg bones, this links the knee and the ankle bones of the foot.

Fibula

This bone sits alongside the tibia, also linking the knee and the ankle.




4. Leg swing The lower leg will

then swing at the

knee, under the body,

to be placed in front of the stationary, weight-bearing foot.





'Human gait' is the term to describe how we walk. This gait will vary between each person, but the basics are the same

2. Weight transfer

The weight will transfer fully to the foot still in contact with the ground, normally with a slight leaning movement of the body.

3. Foot lift

After weight has transferred and the individual feels balanced, the ball of the first foot will then lift off the ground, raising the thigh.

5. Heel placement

The heel will normally be the part of the foot that's placed first, and weight will start to transfer back onto this foot as it hits the ground.

1. Heel lift The first step of walking is for the foot to be lifted off the ground. The knee will raise and the calf muscle and Achilles tendon, situated on the back of the leg, will contract to allow the heel to lift off the ground.

6. Repeat process

The process is then repeated with the other foot. During normal walking or running, one foot will start to lift as the other starts to come into contact with the ground.

Bones of the foot

Distal phalanges

The bones which sit at the far end of the foot and make up the tips of the toes.

Proximal phalanges

These bones link the metatarsals and the distal phalanges and stretch from the base of the toes

Metatarsals


The five, long bones that are the metatarsals are located between the tarsal bones and the phalanges. These are the equivalent of the metacarpals in the hand.

Cuneiforms bones (three)

Three bones that fuse together during bone development and sit between the metatarsals and the talus.

Navicular

This bone, which is so named due to its resemblance to a boat, articulates with the three cuneiform bones.





Talus Calcaneus The talus is the This bone second largest

bone of the foot,

and it makes up

the lower part of

the ankle joint.

constitutes the heel and is crucial for walking. It is the largest bone in the foot.



How do muscles work?

Muscles are essential for us to operate on a daily basis, but how are they structured and how do they keep us moving

muscle is a group of tissue fibres that contract and release to control movements within the body. We have three different types of muscles in our bodies – smooth muscle, cardiac muscle and skeletal muscle.

Skeletal muscle, also known as striated muscle, is what we would commonly perceive as muscle, this being external muscles that are attached to the skeleton, such as biceps and deltoids. These muscles are connected to the skeleton with tendons. Cardiac muscle concerns the heart, which is crucial as it pumps blood around the body, supplying oxygen and ultimately energy to muscles, which allows them to operate. Smooth muscle, which is normally sheet muscle, is primarily involved in muscle contractions such as bladder control and oesophagus movements. These are often referred to as involuntary as we have little or no control over these muscles' actions.

Muscles control most functions within our bodies; release of waste products, breathing, seeing, eating and movement to name but a few. Actual muscle structure is quite complex, and each muscle is made up of numerous fibres which work together to give the muscle strength. Muscles increase in effectiveness and strength through exercise and growth and the main way this occurs is through small damage caused by each repetition of a muscle movement, which the body then automatically repairs and improves.

More than 640 muscles are actually present across your entire body working to enable your limbs to work, control bodily functions and shape the body as a whole.

6. Abdominal muscles

'Abs' are often built up by body builders and support the body core. They are also referred to as core muscles and are important in sports such as rowing and yoga.

7. Quadriceps

The large fleshy muscle group covering the front and sides of the thigh.


8. Gluteus maximus

The biggest muscle in the body, this is primarily used to move the thighs back and forth.

9. Hamstrings

Refers to one of the three posterior thigh muscles, or to the tendons that make up the borders of the space behind the knee.

"More than 300 individual muscles are present across your body to enable your limbs to work"



1. Deltoids

These muscles stretch across the shoulders and aid lifting.

2. Trapezius

Large, superficial muscle at the back of the neck and the upper part of the thorax, or chest.

3. Pectoralis major

Commonly known as the 'pecs', this group of muscles stretch across the chest.

4. Biceps/triceps

These arm muscles work together to lift the arm up and down. Each one contracts, causing movement in the opposite direction to the other.

5. Latissmus dorsi

Also referred to as the 'lats', these muscles are again built up during weight training and are used to pull down objects from above.

What affects our muscle strength?

How strong we are is a combination of nature and nurture

Muscle strength refers to the amount of force that a muscle can produce, while operating at maximum capacity, in one contraction. Size and structure of the muscle is important for muscle strength, with strength being measured in several ways.

Consequently, it is hard to definitively state which muscle is actually strongest.

We have two types of muscle fibre – one that supports long, constant usage exerting low levels of pressure, and one that supports brief, high levels of force. The latter is used during anaerobic activity and these fibres respond better to muscle building. Genetics can affect muscle strength, as can usage, diet and exercise regimes. Contractions of muscles cause injuries in the muscle fibres and it is the healing of these that actually create muscle strength as the injuries are repaired and overall strengthen the muscle.

"Tendons attach muscles such as biceps to bones, allowing muscles to move elements of our body"

What are muscles made up of?

Muscles are made up of numerous cylindrical fibres, which work together to contract and control parts of the body. Muscle fibres are bound together by the perimysium into small bundles, which are then grouped together by the epimysium to form the actual muscle.

These attach muscle to bones, which in

turn enables the muscles to move parts

of the body around (off image).

Blood vessels and nerves also run through the connective tissue to give energy to the muscle and allow feedback to be sent to the brain. Tendons attach muscles such as biceps and triceps to bones, allowing muscles to move elements of our body as we wish.

Perimysium **Epimysium** Blood vessel The external layer that covers the This layer groups This provides oxygen and allows together muscle fibres muscle overall and keeps the bundles the muscle to access energy for of muscle fibres together. within the muscle. muscle operation. **Filaments** Myofibrils are constructed of filaments, which are made up of the proteins actin and myosin. Endomysium This layer surrounds each singular muscle fibre and keeps the Tendon Myofibril myofibril filaments


Located within the single muscle fibres,

filaments. They are crucial for contraction.

myofibrils are bundles of actomyosin

How does the arm flex? Biceps and triceps are a pair of muscles that work

Biceps and triceps are a pair of muscles that work together to move the arm up and down. As the bicep contracts, the triceps will relax and stretch out and consequently the arm will move upwards. When the arm needs to move down, the opposite will occur – with the triceps contracting and the bicep relaxing and being forcibly stretched out by the triceps. The bicep is so named a flexor as it bends a joint, and triceps would be the extensor as it straightens the joint out. Neither of these muscles can push themselves straight, they depend on the other to oppose their movements and stretch them out. Many muscles therefore work in pairs, so-called antagonistic muscles.



What is a pulled muscle, and how does it happen?

They hurt like crazy so here's why it's important to warm up

A pulled muscle is a tear in muscle fibres. Sudden movements commonly cause pulled muscles, and when an individual has not warmed up appropriately before exercise or is unfit, a tear can occur as the muscle is not prepared for usage. The most common muscle to be

pulled is the hamstring, which stretches from the buttock to the knee. A pulled muscle may result in swelling and the pain can last for several days before the fibres can repair themselves. To prevent pulling muscles, warming up is advised before doing any kind of physical exertion.

grouped together.





Anatomy of the neck

Explore one of the most complex and functional areas of the human body

he human neck is a perfect blend of form and function. It has several specific tasks (eg making it possible to turn our heads to see), while serving as a conduit for other vital activities (eg connecting the mouth to the lungs).

The anatomical design of the neck would impress modern engineers. The flexibility of the cervical spine allows your head to rotate, flex and tilt many thousands of times a day.

The muscles and bones provide the strength and flexibility required, however the really impressive design comes with the trachea, oesophagus, spinal cord, myriad nerves and the vital blood vessels. These structures must all find space and function perfectly at the same time. They must also be able to maintain their shape while the neck moves.

These structures are all highly adapted to achieve their aims. The trachea is protected by a ring of strong cartilage so it doesn't collapse, while allowing enough flexibility to move when stretched. Above this, the larynx lets air move over the vocal cords so we can speak. Farther back, the oesophagus is a muscular tube which food and drink pass through en route to the stomach. Within the supporting bones of the neck sits the spinal cord, which transmits the vital nerves allowing us to move and feel. The carotid arteries and jugular veins, meanwhile, constantly carry blood to and from the brain.


How does the head connect to the neck?


They are connected at the bottom of the skull and at the top of the spinal column. The first vertebra is called the atlas and the second is called the axis. Together these form a special pivot joint that grants far more movement than other vertebrae. The axis contains a bony projection upwards, upon which the atlas rotates, allowing the head to turn. The skull sits on top of slightly flattened areas of the atlas, providing a safe platform for it to stabilise on. and allowing for nodding motions. These bony connections are reinforced with strong muscles, adding further stability. Don't forget that this amazing anatomical design still allows the vital spinal cord to pass out of the brain. The cord sits in the middle of the bony vertebrae, where it is protected from bumps and knocks. It sends out nerves at every level (starting right from the top) which actually control over most of the body.

information from all around the body.

Get it in the neck

We show the major features that are packed into this junction between the head and torso








Under the skin

Find out more about the largest organ in your body...



How the spleen works

Perhaps not as well-known as famous organs like the heart, the spleen serves vital functions that help keep us healthy

he spleen's main functions are to remove old blood cells and fight off infection. Red blood cells have an average life span of 120 days. Most are created from the marrow of long bones, such as the femur. When they're old, it's the spleen's job to identify them, filter them out and then break them down. The smaller particles are then sent back into the bloodstream, and either recycled or excreted from other parts of the body. This takes place in the 'red pulp', which are blood vessel-rich areas of the spleen that make up about three-quarters of its structure.

The remainder is called 'white pulp', which are areas filled with different types of immune cell (such as lymphocytes). They filter out and destroy foreign pathogens, which have invaded the body and are circulating in the blood. The white pulp breaks them down into smaller, harmless particles.

It is surrounded by a thin, fragile capsule and so is prone to injury. It sits beneath the lower ribs on the left-hand side of your body, which affords it some protection, but car crashes, major sports impacts and knife wounds can all rupture the organ. In the most serious cases, blood loss can endanger the person's life, and in these situations it needs to be removed by a surgeon. Since this reduces the body's ability to fight infections, some people will need to take antibiotics to boost their immunity for the rest of their lives.

The immune system

Although the red blood that flows through our bodies gets all the glory, the transparent lymphatic fluid is equally important. It has its own body-wide network which follows blood vessel flow closely and allows for the transport of digested fats, immune cells and more...

Spleen

This is one of the master co-ordinators that actually staves [off infections and filters old red blood cells. It contains a number of lymphocytes that recognise and destroy invading pathogens present in the blood as it flows through the spleen.

Thymus

Asmall organ that sits just above the heart and behind the sternum. It actually teaches T-lymphocytes to identify and destroy specific foreign bodies. Its development is directly related to hormones in the body so it's only present until puberty ends; adults don't need one.

Tonsils

These are masses of lymphoid tissue at the back of the throat and can be seen when the mouth is wide open. They form the first line of defence against inhaled foreign pathogens, although they can become infected themselves, causing tonsillitis.

Adenoids

These are part of the tonsillar system that are only present in children up until the age of five; in adults they have disappeared. They add an extra layer of defence in our early years.

Bone marrow

This forms the central, Hexible part of our long bones (eg femur Bone marrow is essential as it produces our key circulating cells, including red blood cells, white blood cells and platelets. The white blood cells mature into various different types (eg lymphocytes and neutrophils), which serve as the basis of the human immune system.

Lymph nodes

These are small (about 1cm/ 0.4in) spherical nodes that are packed with macrophages and lymphocytes to defend against foreign agents. These are often linked in chains and are mainly around the head, neck, axillae (armpits) and groin.


Forming approximately

three-quarters of the

spleen, the red pulp is

where red blood cells are

filtered and broken down.



Similar to those found in the

liver, these capillaries allow

for the easy passage of

tissue for processing.

large cells into the splenic



The human heartbeat

How one of your hardest-working muscles keeps your blood pumping


our heart began to beat when you were a four-week-old foetus in the womb. Over the course of the average lifetime, it will beat over 2 billion times.

The heart is composed of four chambers separated into two sides. The right side receives deoxygenated blood from the body, and pumps it towards the lungs, where it picks up oxygen from the airyou breathe. The oxygenated blood returns to the left side of the heart, where it is sent through the circulatory system, delivering oxygen and

nutrients around the body. The pumping action of the heart is coordinated by muscular contractions that are generated by electrical currents. These currents regularly trigger cardiac contractions known as systole. The upper chambers, or atria, which receive blood arriving at the heart, contract first. This forces blood to the lower, more muscular chambers, known as ventricles, which then contract to push blood out to the body. Following a brief stage where the heart tissue relaxes, known as diastole, the cycle begins again.



The heart consists of four chambers, separated into two sides




"Over the course of the average lifetime, the heart will beat over 2 billion times"

Fight or flight

A heartbeat begins at the sinoatrial node, a bundle of specialised cells in the right atrium. This acts as a natural pacemaker by generating an electrical current that moves throughout the heart, causing it to contract. When you are at rest, this happens between 60 to 100 times

brain will automatically trigger a 'fight or flight' response.


adrenaline and noradrenaline hormones that change the conductance of the sinoatrial node, increasing heart rate, and so providing the body with more available nutrients to either fight for survival or run for the hills.



THE HUMAN HEARTBEAT

Closure of cuspid valves

The valves snap shut to prevent the blood flowing back



Thick muscle tissue

The more muscular tissue of the ventricles allows blood to be pumped at a higher pressure than the atria.

Semi-lunar valves open

The pressure in the chambers forces blood through the valves and into the aorta and pulmonary artery.



Inside the human stomach

Discover how this amazing digestive organ stretches, churns and holds corrosive acid to break down our food, all without getting damaged


he stomach's major role is as a reservoir for food; it allows large meals to be consumed in one sitting before being gradually emptied into the small intestine. A combination of acid, protein-digesting enzymes and vigorous churning action breaks the stomach contents down into an easier-to-process liquid form, preparing food for absorption in the bowels.


In its resting state, the stomach is contracted and the internal surface of the organ folds into characteristic ridges, or rugae. When we start eating, however, the stomach begins to distend; the rugae flatten, allowing the stomach to expand, and the outer muscles relax. The stomach can accommodate about a litre (1.8 pints) of food without any discomfort.

The expansion of the stomach activates stretch receptors, which trigger nerve signalling that results in increased acid production and powerful muscle contractions to mix and churn the contents. Gastricacid causes proteins in the food to unravel, allowing access by the enzyme pepsin, which breaks down protein. The presence of partially digested proteins stimulates enteroendocrine cells

(G-cells) to make the hormone gastrin, which encourages even more acid production.

The stomach empties its contents into the small intestine through the pyloric sphincter. Liquids pass through the sphincter easily, but solids must be smaller than one to two millimetres (0.04-0.08 inches) in diameter before they will fit. Anything larger is 'refluxed' backwards into the main chamber for further churning and enzymatic breakdown. It takes about two hours for half a meal to pass into the small intestine and the process is generally complete within four to five hours.





Why doesn't it digest itself?

Your stomach is full of corrosive acid and enzymes capable of breaking down protein – if left unprotected the stomach lining would quickly be destroyed. To prevent this from occurring, the cells lining the stomach wall produce carbohydrate-rich mucus, which forms a slippery, gel-like barrier. The mucus contains bicarbonate, which is alkaline and buffers the pH at the surface of the stomach lining, preventing damage by acid. For added protection, the protein-digesting enzyme pepsin is created from a zymogen (the enzyme in its inactive form) – pepsinogen; it only becomes active when it comes into contact with acid, a safe distance away from the cells that manufacture it.

Produced by parietal cells in the stomach lining, gastric acid has a pH level of 1.5 to 3.5

Vomit reflex step-by-step Vomiting is the forceful expulsion

Vomiting is the forceful expulsion of the stomach contents up the oesophagus and out of the mouth. It's the result of three co-ordinated stages. First, a deep breath is drawn and the body closes the glottis, covering the entrance to the lungs. The diaphragm then contracts, lowering pressure in the thorax to open up the oesophagus. At the same time, the muscles of the abdominal wall contract, which squeezes the stomach. The combined shifts in pressure both inside and outside the stomach forces any contents upwards.

Thinkstod




Kidney function

How do your kidneys filter waste from the blood to keep you alive?

idneys are two bean-shaped organs situated halfway down the back just under the ribcage, on each side of the body, and weigh between 115 and 170 grams each, dependent on the individual's sex and size. The left kidney is commonly a little larger than the right and due to the effectiveness of these organs, individuals born with only one kidney can survive with little or no adverse health problems. Indeed, the body can operate normally with a 30-40 per cent decline in kidney function. This decline in function would rarely even be noticeable and shows just how effective the kidneys are at filtering out waste products as well as maintaining mineral levels and blood pressure throughout the body. The kidneys manage to control all of this by working with other organs and glands across the body such as the hypothalamus, which helps the kidneys determine and control water levels in the body. Each day the kidneys will filter between a staggering 150 and 180 litres of blood, but only pass around two litres of waste down the ureters to the bladder for excretion. This waste product is primarily urea - a by-product of protein being broken down for energy - and water, and it's more commonly known as 'urine'. The kidneys filter the blood by passing it through a small filtering unit called a nephron. Each kidney has around a million of these, which are made up of a number of small blood capillaries, called glomerulus, and a urine-collecting tube called the renal tubule. The glomerulus sift the normal cells and proteins from the blood and then move the waste products into the renal tubule, which transports urine down into the bladder through the ureters.

Alongside this, the kidneys also release three hormones (known as erythropoietin, renin and calcitriol) which encourage red blood cell production, aid regulation of blood pressure and aid bone development and mineral balance respectively.



pyramids and each human kidney will


normally have seven of these.

kidney's internal fibres.

of the ureter, which takes

urine down to the bladder.

blood filtration



to aid filtration of fluids as necessary. It also

controls urine concentration.

Collecting duct system

Although not technically part of the nephron, this collects all waste product filtered by the nephrons and facilitates its removal from the kidneys.

Glomerulus

High pressure in the glomerulus, caused by it draining into an arteriole instead of a venule, forces fluids and soluble materials out of the capillary and into Bowman's capsule.

Bowman's capsule

Also known as the glomerular capsule, this filters the fluid that has been expelled from the alomerulus, Resulting filtrate is passed along the nephron and will eventually make up urine.

Distal convoluted tubule

Partly responsible for the regulation of minerals in the blood, linking to the collecting duct system. Unwanted minerals are excreted from the nephron.

passed on from Bowman's capsule.

The glomerulus


This group of capillaries is the first step of filtration and a crucial aspect of a nephron. As blood enters the kidneys via the renal artery, it is passed down through a series of arterioles which eventually lead to the glomerulus. This is unusual, as instead of draining into a venule (which would lead back to a vein) it drains back into an arteriole, which creates much higher pressure than normally seen in capillaries, which in turn forces soluble materials and fluids out of the capillaries. This process is known as ultrafiltration and is the first step in filtration of the blood. These then pass through the Bowman's capsule (also know as the glomerular capsule) for further filtration.

Afferent arteriole

This arteriole supplies the blood to the glomerulus for filtration.

Proximal tubule

Where reabsorption of minerals from the filtrate from Bowman's capsule will occur.



Efferent arteriole

This arteriole is how blood leaves the glomerulus following ultrafiltration.

Bowman's capsule

This is the surrounding capsule that will filter the filtrate produced by the alomerulus.

What is urine and what is it made of?

94% water Urine is made up of a range of organic compounds such as various proteins and hormones, inorganic salts and numerous metabolites. These are often rich in nitrogen and need to be removed from the blood stream through urination. The pH-level of urine is typically around neutral (pH7) but varies depending on diet, hydration levels and physical fitness. The colour of urine is also determined by all of these different factors playing a part, with dark-yellow urine indicating dehydration and greenish urine being indicative of excessive asparagus consumption.

6% other organic compounds



How the liver works


The human liver is the ultimate multitasker. It performs many different functions all at the same time without you asking

he liver is actually the largest internal organ in the human body and, has over 500 different functions. In fact, it is actually the second most complex organ after the brain and is intrinsically involved in almost every aspect of the body's metabolic processes.

The liver's main functions in the body are energy production, removal of harmful substances and the production of crucial proteins. These tasks are carried out within liver cells, called hepatocytes, which sit in complex arrangements to maximise their overall efficiency.

The liver is the body's main powerhouse, producing and storing glucose as a key energy source. It is also responsible for breaking down complex fat molecules and building them up into cholesterol and triglycerides, which the body needs but in excess are bad. The liver makes many complex proteins, including clotting factors which are vital in arresting bleeding. Bile, which helps digest fat in the intestines, is produced in the liver and stored in the adjacent gallbladder.


The liver also plays a key role in detoxifying the blood. Waste products, toxins and drugs are



"The liver also breaks down old blood cells and recycles hormones such as adrenaline"

processed here into forms which are easier for the rest of the body to use or excrete. The liver also breaks down old blood cells, produces antibodies to fight infection and recycles hormones such as adrenaline. Numerous essential vitamins and minerals are stored in the liver: vitamins A, D, E and K, iron and copper.

Such a complex organ is also unfortunately prone to diseases. Cancers, infections (hepatitis) and cirrhosis (a form of fibrosis which is often caused by excess alcohol consumption) are just some of those which can affect the liver.



The gallbladder

Bile, a dark green slimy liquid, is produced in the hepatocytes and helps to digest fat. It is stored in a reservoir which sits on the under-surface of the liver, to be used when needed. This reservoir is called the gallbladder. Stones can form in the gallbladder (gallstones) and are very common, although most don't cause problems. In 2009, just under 60,000 gallbladders were removed from patients within the NHS making it one of the most common operations performed; over 90 per cent of these are removed via keyhole surgery. Most patients do very well without their gallbladder and don't notice any changes at all.

A high-demand organ

The liver deals with a massive amount of blood. It is unique because it has two blood supplies. 75 per cent of this comes directly from the intestines (via the hepatic portal vein) which carries nutrients from digestion, which the liver processes and turns into energy. The rest comes from the heart, via the hepatic artery (which branches from the

aorta), carrying oxygen which the liver needs to produce this energy.


The blood flows in tiny passages in between the liver cells where the many metabolic functions occur. The blood then leaves the liver via the hepatic veins to flow into the biggest vein in the body – the inferior vena cava.

Liver lobules

The functional unit which performs the liver's tasks

The liver is considered a 'chemical factory,' as it forms large complex molecules from smaller ones brought to it from the gut via the blood stream. The functional unit of the liver is the lobule – these are hexagonal-shaped

structures comprising of blood vessels and sinusoids. Sinusoids are the specialised areas where blood comes into contact with the hepatocytes, where the liver's biological processes take place.



8. The portal triad

The hepatic artery, portal vein and bile duct are known as the portal triad. These sit at the edges of the liver lobule and are the main entry and exit routes for the liver. This vein carries nutrient-rich blood directly from the intestines, which flows into sinusoids for conversion into energy within hepatocytes.





Structure of the small intestine

Examine the anatomy of this vital organ in the human digestive tract

Lumen

This is the space inside the small intestine in which the food travels to be digested and absorbed.

Mucosa

The internal lining of the small intestine where the plicae circulares (mucosal folds) and villi are situated.

SubmucosaThis -

supports the mucosa and connects it to the layers of muscle (muscularis) that make up the exterior of the small intestine.

Exploring the small intestine

Crucial for getting the nutrients we need from the food we eat, how does this digestive organ work?

he small intestine is actually one of the most important elements of our digestive system, which enables us to process food and absorb nutrients. On average, it sits at a little over six metres, that is 19.7 feet, long with a diameter of 2.5-3 centimetres, 1-1.2 inches. The small intestine is made up of three different distinctive parts: the duodenum, jejunum and the ileum.

The duodenum actually connects the small intestine to the stomach and is the key place for further enzyme breakdown, following already passing through the stomach, turning food into an

amino acid state. While the duodenum is very important in breaking food down, using bile and enzymes from the gallbladder, liver and pancreas, it is actually the shortest element of the small bowel, only averaging about 30 centimetres, which is just 11.8 inches. The jejunum follows the duodenum and its primary function is to encourage absorption of carbohydrates and proteins by passing the broken-down food molecules through an area with a large surface area so they can enter the bloodstream. Villi – small finger-like structures – and mucosal folds

line the passage and increase the surface area dramatically to aid this process.

Mucosal folds These line the small

intestine to increase

surface area and help

push the food on its way

by creating a valve-like

travelling backwards.

structure, stopping food

The ileum is the final section of the small bowel and its main purpose is to catch nutrients that may have been missed, as well as absorbing vitamin B12 and bile salts.


Peristals is the movement used by the small intestine to push the food through to the large bowel, where waste matter is stored for a short period then disposed of via the colon. This process is automatically generated by a series of different muscles which make up the organ's outer wall.

Serosa

This protective outer layer stops the small intestine from being damaged by other organs.

What exactly are nutrients?

body: lipids (fats), carbohydrates and proteins. These three groups of molecules are broken down into sugars, starches, absorb through the small intestine walls and that then travel in the bloodstream to our muscles and other areas of the body that require energy or to be repaired. We also need to consume and absorb vitamins and minerals that we can't synthesise within the body, eg vitamin B12 (prevalent in meat and fish).



Blood vessels

These sit close to the small intestine to allow easy diffusion of nutrients

into the bloodstream.

Circular muscle layer

This works in partnership with the longitudinal muscle layer to push the food down via a process called peristalsis.

Longitudinal muscle layer

This contracts and extends to help transport food with the circular muscle layer.

Nutrients Nutrients move through

the tube-like organ to be

mainly via the bloodstream.

Villi

Villi are tiny finger-like structures that sit all over

the mucosa. They help

increase the surface area

massively, alongside the

mucosal folds.

diffused into the body,

Epithelium (epithelial cells)

These individual cells that sit in the mucosa layer are where individual microvilli extend from.

Mucosa The lining of the small intestine on which villi are located.

Lacteal

The lacteal is a lymphatic capillary that absorbs nutrients that can't pass directly into the bloodstream.

A closer look at villi


What role do these little finger-like protrusions play in the bowel?

Microvilli

These are a mini version of villi and sit on villi's individual epithelial cells.

Capillary bed

These absorb simple sugars and amino acids as they pass through the epithelial tissue of the villi.





How the pancreas works

Learn how the workhorse of the digestive system helps to break down food and control our blood sugar levels

he pancreas is a pivotal organ within the digestive system. It sits inside the abdomen, behind the stomach and the large bowel, adjacent to the spleen. In humans, it has a head, neck, body and tail. It is connected to the first section of the small intestine, the duodenum, by the pancreatic duct, and to the bloodstream via a rich network of vessels. When it comes to the function of the pancreas, it is best to think about the two types of cell it contains: endocrine and exocrine.

The endocrine pancreas is made up of clusters of cells called islets of Langerhans, which in total contain approximately 1 million cells and are responsible for producing hormones. These cells include alpha cells, which secrete glucagon, and beta cells which generate insulin. These two hormones have opposite effects on blood sugar levels throughout the body: glucagon increases glucose levels, while insulin decreases them.

The cells here are all in contact with capillaries, so hormones which are produced can be fed directly into the bloodstream. Insulin secretion is under the control of a negative-feedback loop; high blood sugar will lead to insulin secretion, which then lowers blood sugar with subsequent suppression of insulin. Disorders of these cells (and thus alterations of the hormone levels) can lead to many serious conditions, including diabetes. The islets of Langerhans are also responsible for producing other hormones, like somatostatin, which governs nutrient absorption among many other things.

The exocrine pancreas, meanwhile, is responsible for secreting digestive enzymes. Cells are arranged in clusters called acini, which flow into the central pancreatic duct. This leads into the duodenum – part of the small bowel – to come into contact with and aid in the digestion of food. The enzymes secreted include proteases (to digest protein), lipases (for fat) and amylase (for sugar/starch). Secretion of these enzymes is controlled by a series of hormones, which are released from the stomach and duodenum in response to the stretch from the presence of food.



Tail of the pancreas

This is the end portion of the organ and is positioned close to the spleen.


What brings on diabetes?

Diabetes is a condition where a person has higher blood sugar than normal. It is either caused by a failure of the pancreas to produce insulin (ie type 1, or insulin-dependent diabetes mellitus), or resistance of the body's cells to insulin present in the circulation (ie type 2, or non-insulin-dependent diabetes mellitus). There are also other disorders of the

pancreas. Inflammation of the organ (ie acute pancreatitis) causes severe pain in the upper abdomen, forcing most people to attend the emergency department as it can actually be life threatening. In contrast, cancer of the pancreas causes the individual gradually worsening pain which can commonly be mistaken for various other ailments.

Beta cells

It is the beta cells within the islets of Langerhans which control glucose levels and amount of insulin secretion.



Insulin released

The vesicle releases its stored insulin into the blood capillaries through exocytosis.

High glucose

Blood supply

stomach and spleen.

The pancreas derives its blood supply from a variety of sources,

including vessels running to the

When the levels of glucose within the bloodstream are high, the glucose wants to move down its diffusion gradient into the cells.



The calcium causes the vesicles that store insulin to move towards the cell wall.

Does the pancreas vary in humans and animals?

Every vertebrate animal has a pancreas of some form, meaning they are all susceptible to diabetes too. The arrangement, however, varies from creature to creature. In humans, the pancreas is most often a single structure that sits at the back of the abdomen. In other animals, the arrangement varies from two or three masses of tissue scattered around the abdomen, to tissue interspersed within the connective tissue between the bowels, to small collections of tissue within the bowel mucosal wall itself. One of the other key differences is the number of ducts that connect the pancreas to the bowel. In most humans there's only one duct, but occasionally there may be two or three – and sometimes even more. In other animals, the number is much more variable. However, the function is largely similar, where the pancreas secretes digestive enzymes and hormones to control blood sugar levels.

GLUT2

This is a glucosetransporting channel, which facilitates the uptake of glucose into the cells.

Depolarisation

The metabolism of glucose leads to changes in the polarity of the cell wall and an increase in the number of potassium ions.

- Calcium channels

Changes in potassium levels cause voltage-gated calcium channels to open in the cell wall, and calcium ions to flow into the cell.



The urinary system explained

Every day the body produces waste products that enter the bloodstream - but how do we get rid of them?

he human urinary system's primary function is to remove by-products which remain in the blood after the body has metabolised food. The process is made up of several different key features. Generally, this system consists of two kidneys, two ureters, the bladder, two sphincter muscles (one internal, one external) and a urethra and these work alongside the intestines, lungs and skin, all of which excrete waste products from the body.

The abdominal aorta is an important artery to the system as this feeds the renal artery and vein, which supply the kidneys with blood. This blood is filtered by the kidneys to remove waste products, such as urea which is formed through amino acid metabolism. Through communication with other areas of the body, such as the hypothalamus, the kidneys also control

water levels in the body, sodium and potassium levels among other electrolytes, blood pressure, pH of the blood and are also involved in red blood cell production through the creation and release of the hormone erythropoietin. Consequently, they are absolutely crucial to optimum body operation.

After blood has been filtered by the kidneys, the waste products then travel down the ureters to the bladder. The bladder's walls expand out to hold the urine until the body can excrete the waste out through the urethra. The internal and external sphincters then control the release ofurine.

On average, a typical human will produce approximately a staggering 2.5-3 litres of urine in just one day, although this can vary dramatically dependant on external factors such as how much water is consumed.

filtered and nutrients are absorbed before urine exits into the ureters.

These tubes link the kidneys and the bladder.

Inferior vena cava

This carries deoxygenated blood back from the kidneys to the right aorta of the heart.

Abdominal aorta

This artery supplies blood to the kidneys, via the renal artery and vein. This blood is then cleansed by the kidneys.

Bladder


This is where urine gathers after being passed down the ureters from the kidneys.


"Generally, a human will produce 2.5-3 litres of urine a day"

How do the kidneys work?

The kidneys will have around 150-180 litres of blood to filter per day, but only pass around two litres of waste down the ureters to the bladder for excretion, therefore the kidneys return much of this blood, minus most of the waste products, to the heart for re-oxygenation and recirculation around the body


The way the kidneys do this is to pass the blood through a small filtering unit a number of small blood capillaries and a tube called the renal tubule. The blood capillaries sift the normal cells and proteins from the blood for recirculation and primarily consist of urea, mixes with water and forms urine as it passes through the renal tubule and then into the ureter on its way to the bladder.






How do we store waste until we're ready to expel it?

The bladder stores waste products by allowing the urine to enter through the ureter valves, which attach the ureter to the bladder. The walls relax as urine enters and this allows the bladder to stretch. When the bladder becomes full, the nerves in the bladder communicate with the brain and cause the individual to feel the urge to urinate. The internal and external sphincters will then relax, allowing urine to pass down the urethra.







How the Body Works

Explore the complex systems, processes and behaviours in the human body

074..... The science of sleep

082...... Neurotransmitters and your feelings

083..... Brain cells

084..... Human digestion

086...... Human respiration

088..... Inside the circulatory system

090..... Why do we sweat?

091..... How wounds heal

092..... How your blood works

096...... How do white blood cells work?

098...... How your immune system works?

100...... The lymphatic system

102..... Bacteria vs virus

103...... What is saliva?

104..... How old is your body?

106..... Human pregnancy

108..... Hormones

110 Genetics





Theories of why we sleep



planning and reasoning. A lack of sleep can actually have severe effects on our mood and performance of everyday tasks, ranging from irritability, through to long term problems such as an increased risk of heart disease and even a higher incidence of road traffic accidents.

Sleep can be divided into two broad stages: non-rapid eye movement (NREM), and rapid eye movement (REM) sleep. The vast majority of our sleep, actually around 75 to 80 per cent of it, is NREM, which is characterised by various electrical patterns in the brain known as 'sleep spindles' and high, slow delta waves. When this is occuring, this is the time when we sleep the deepest.

Without NREM sleep, our ability to form declarative memories, such as learning to associate pairs of words, can be seriously impaired. Deep sleep is important for transferring short-term memories into long-term storage. Deep sleep is also the time of peak growth hormone release in the body, which is important for cell reproduction and repair.

The purpose of REM sleep is unclear, with the effects of REM sleep deprivation proving less severe than NREM deprivation; for the first two weeks humans report little in the way of ill effects. REM sleep is the period during the night when we have our most vivid dreams, but people dream during both NREM and REM sleep. One curiosity is that

during NREM sleep, dreams tend to be more conceptbased, whereas REM sleep dreams are a lot more vivid and emotional.

Some scientists argue that REM sleep allows our brains a safe place to practice dealing with situations or emotions that we might not encounter during our daily lives. During REM sleep our muscles are temporarily paralysed, preventing us acting out these emotions. Others think that it might be a way to unlearn memories, or to process unwanted feelings or emotions. Each of these ideas has its flaws, and no one knows the real answer.

We will delve into the science of sleep and attempt to make sense of the mysteries of the sleeping brain.

The sleep cycle

In the night, you cycle through five separate stages of sleep every 90 to 110 minutes

The five stages of sleep can be distinguished by changes in the electrical activity in your brain, measured by electroencephalogram (EEG). The first stage begins with drowsiness as you drift in and out of consciousness, and is followed by light sleep and

then by two stages of deep sleep. Your brain activity starts to slow down, your breathing, heart rate and temperature drop, and you become progressively more difficult to wake up. Finally, your brain perks up again, resuming activity that looks much more like wakefulness, and you enter rapid eye movement (REM) sleep – the time when your most vivid dreams occur. This cycle happens several times throughout the night, and each time, the period of REM sleep grows longer.



Not all sleep is the same. There are five separate stages, divided by brain activity




1 Drowsiness

In the first stage, you drift off, your eyelids are heavy and your head starts to drop. During this drowsy period, you are easily woken and your brain is still quite active. The electrical activity on an electroencephalogram (EEG) monitor starts to slow, and cortical waves become taller and spikier. As the sleep cycle repeats during the night, you re-enter this drowsy half-awake, half-asleep stage.




2 Light sleep

After a few minutes, your brain activity slows further, and you descend into light sleep. On the EEG monitor, this stage is characterised by further slowing in the waves, with an increase in their size and short one- or two-second bursts of activity known as 'sleep spindles'. By the time you are in the second phase of sleep, your eyes stop moving, but you can still be woken up quite easily.




3 Moderate sleep

As you start to enter this third stage, your sleep spindles stop, this in turn is showing that your brain has entered moderate sleep. This is then followed by deep sleep. The trace on the EEG slows still further as your brain produces delta waves with occasional spikes of smaller, faster waves in between. As you progress through stage-three sleep, you become much more difficult to wake up.



Clearing the mind


The brain is a power-hungry organ; it makes up only two per cent of the total mass of the body, but it uses an enormous 25 per cent of the total energy supply. The question is, how does it get rid of waste? The Nedergaard Lab at the University of Rochester in New York thinks sleep might be a time to clean the brain. The rest of the body relies on the lymphatic drainage system to help remove waste products, but the brain is a protected area, and these vessels do not extend upward into the head. Instead, your central nervous system is bathed in a clear liquid called cerebrospinal fluid (CSF), into which waste can be dissolved for removal. During the day, it remains on the outside, but the lab's research has shown that, during sleep, gaps open up between brain cells and the fluid rushes in, following paths along the outside of blood vessels, sweeping through every corner of the brain and



20-40 minutes

4 Deep sleep


There is some debate as to whether sleep stages three and four are really separate, or whether they are part of the same phase of sleep. Stage four is the deepest stage of all, and during this time you are extremely hard to wake. The EEG shows tall, slow waves which are known as delta waves; your muscles will relax and your breathing becomes slow and rhythmic, which can lead to snoring.




5 REM sleep

After deep sleep, your brain starts to perk up and its electrical activity starts to resemble the waking brain. This is the period of the night when most dreams happen. Your muscles are temporarily paralysed, and your eyes dart around, giving it the name rapid eye movement (REM) sleep. You cycle through the stages of sleep every 90 minutes, experiencing between three and five dream periods each night.


Brain activity




Wide awake The red areas in this scan show areas of activity in the waking human brain, while the blue areas represent areas of inactivity.




NREM sleep, the brain is less active, shown here by the cool blue and purple colours that dominate the scan.




REM (dream) sleep When we are dreaming, the human brain shows a lot of activity, displaying similar red patterns of activity to the waking brain.



Light sleep In the first stages of NREM sleep, the brain is less active than when awake, but you remain alert and easy to wake up.



Sleep deprivation The sleep-deprived brain looks similar to the brain during NREM sleep, showing patterns of inactivity.



NREM sleep Asyou descend through the four stages of NREM sleep. your brain in turn becomes progressively less active.

Sleep disorders

There are over 100 different disorders that prevent a good night's sleep

Sleep is necessary for our health, so disruptions to the quality or quantity of our sleep can have a serious negative impact on daily life, affecting both physical health and mental wellbeing.

Sleep disorders fall into four main categories: difficulty falling asleep, difficulty staying awake, trouble sticking to a regular sleep pattern and abnormal sleep behaviours. Struggling with falling asleep or staying asleep is known as insomnia, and is one of the most familiar sleep disorders; around a third of the population will experience it during their lifetime. Difficulty staying awake, or hypersomnia, is less common. The best-known example is narcolepsy, which is when sufferers experience excessive daytime sleepiness, accompanied by uncontrollable short periods of sleep during the day. Trouble sticking to a regular sleeping pattern can either be caused by external disruption to normal day-to-day rhythms, for example by jet lag or shift work. It can also be the result of an internal problem with the part of the brain responsible for setting the body clock.

Abnormal sleep behaviours include problems like night terrors, sleepwalking and REM-sleep behaviour disorder. Night terrors and sleepwalking most commonly affect children, and tend to resolve themselves with age, but other sleep behaviours persist into adulthood. In REM-sleep behaviour disorder, the normal muscle paralysis that accompanies dreaming fails, and people begin to act out their dreams.

Treatment for different sleep disorders varies depending on the particular problem, and sometimes it can even be as simple as making the individuals bedroom environment more conducive to restful sleep.




A continuous positive airway pressure (CPAP) machine pumps air into a close-fitting mask, preventing the airway from collapsing



Sleep apnoea

Sleep apnoea is a dangerous sleep disorder. It is when the walls of the airways relax so much during the night that breathing is interrupted for ten seconds or more, restricting the supply of oxygen to the brain. The lack of oxygen initiates a protective response, pulling the

sufferer out of deep sleep to protect them from damage. This can cause people to wake up, but often it will just put them into a different sleep stage, interrupting their rest and causing them to feel tiredthe next day. Sleep apnoea should be treated before it leads to further problems.



Narcolepsy

Narcolepsy is a chronic condition that causes people to suddenly fall asleep during the daytime. In the United States, it affects one in every 3,000 people. Narcoleptics report excessive amounts of daytime sleepiness, accompanied by a lack of energy and impaired ability to concentrate. They fall asleep involuntarily for periods lasting just a few seconds at a time, and some can continue to perform tasks such as writing, walking, or even driving during these microsleeps. In 70 per cent of cases, narcolepsy is also accompanied by cataplexy, where the muscles go limp and become difficult to control. It has been linked to low levels of the neurotransmitter hypocretin, which is responsible for promoting wakefulness in the brain.



Insomnia

Insomniacs have difficulty falling asleep or staying asleep. Sufferers can wake up during the night, wake up unusually early in the morning, and report feeling tired and drained during the day. Stress is thought to be one of the major causes of this sleep disruption, but it is also associated with mental health problems like depression, anxiety and psychosis, and also with underlying medical conditions that range from lung problems to hormone imbalances. After underlying causes have been ruled out, management of insomnia generally involves improving 'sleep hygiene' by sticking to regular sleep patterns, avoiding caffeine in the evening and keeping the bedroom free from light and noise at night.



Sleep studies

The most common type of sleep study is a polysomnogram (PSG), which is an overnight test performed in a specialist sleep facility. Electrodes are placed on the chin, scalp and eyelids to monitor brain activity and eye movement, while pads are placed on the chest to track heart rate and breathing. Their blood pressure is also monitored throughout the night, and the amount of oxygen in the bloodstream can be tracked using a device worn on the finger. The equipment monitors how long it takes a patient to fall asleep, and then to follow their brains and bodies as they move through each of the five different sleep stages.



How to get a good night's sleep

Understanding your biological clock is the key to a healthy night's sleep

Your body is driven by an internal circadian master clock known as the suprachiasmatic nucleus, which is set on a time scale of roughly 24 hours. This biological clock is set by sunlight; blue light hits special receptors in your eyes, which feed back to the master clock and on to the pineal gland. This suppresses the production of the sleep hormone melatonin and tells your brain that it is time to wake up.

Disruptions in light exposure can play havoc with your sleep, so it is important to ensure that your bedroom is as dark as possible. Many electronic devices produce enough light to reset your biological clock, and using backlit screens late at night can confuse your brain, preventing the production of melatonin and delaying your sleep.

Ensuring you see sunlight in the morning can help to keep your circadian clock in line, and sticking to a regular sleep schedule, even at the weekends, helps to keep this rhythm regular.

Another important factor in a good night's sleep is the process of winding down before bed. Certain stimulants such as caffeine and nicotine will actually keep your brain alert and can seriously disrupt your attempts to sleep. Even depressants like alcohol can have a negative effect; even though it calms the brain, it interferes with normal sleep cycles, preventing proper, restorative, deep and REM sleep.



The dangers of sleep deprivation

Lack of sleep doesn't just make you tired - it can have dangerous unseen effects



Sleep deprivation impacts your visual working memory, making it hard to distinguish between relevant and irrelevant stimuli, affecting emotional intelligence, behaviour and stress management.



In the USA it is estimated that 100,000 road accidents each year are the result of driver fatigue, and over a third of drivers have even admitted to falling asleep behind the wheel.



Sleep deprivation affects the levels of hormones involved in regulating appetite. Levels of leptin (the hormone that tells you how much stored fat you have) drop, and levels of the hunger hormone ghrelin rise.



Mental health problems are linked to sleep disorders, and having sleep deprivation can play havoc with neurotransmitters in the brain, mimicking the symptoms of depression, anxiety and mania.



Poor sleep can raise blood pressure, and in the long term is associated with an increased risk of diseases such as coronary heart disease and stroke. This danger is increased in people with sleep apnoea.



Severe sleep deprivation can lead to hallucinations – seeing things that aren't really there. In rare cases, it can lead to temporary psychosis or symptoms that resemble paranoid schizophrenia.

Sleep myths debunked

The science behind five of the most common myths relating to sleep

"Counting sheep helps you sleep"

This myth was put to the test by the University of Oxford, who challenged insomniacs to either count sheep, imagine a relaxing scene, or do nothing as they tried to fall asleep. When they imagined a relaxing scene, the participants fell asleep an average of 20 minutes earlier than when they tried either of the other two methods.





"Yawning wakes you up"

Yawning has long been associated with tiredness and was fabled to provide more oxygen to a sleepy brain, but this is not the case. New research suggests that we actually yawn to cool our brains down, using a deep intake of breath to keep the brain running at its optimal temperature.

"Teenagers are lazy"

Sleep habits start to change just before puberty, and between the ages of ten and 25, people need around nine hours of sleep every night. Teens can also experience a shift in their circadian rhythm, called sleep phase delay, pushing back their natural bedtime by around two hours, and encouraging them to sleep in.





"You should never wake a sleepwalker"

Many people have heard that waking a sleepwalker might kill them, but there is little truth behind these tales. Waking a sleepwalker can leave them confused and disorientated, but the act of sleepwalking in itself can be much more dangerous. Gently guiding a sleepwalker back to their bed is the safest option, but waking them carefully shouldn't do any harm.

"Cheese gives you nightmares"

The British Cheese Board conducted a study in an attempt to debunk this myth by feeding 20g (0.7oz) of cheese to 200 volunteers every night for a week and asking them to record their dreams. There were no nightmares, but strangely 75 per cent of men and 85 per cent of the women who ate Stilton reported vivid dreams.



SLEEP STATS

What are the most common sleeping positions?







41% Foetus

15% Log









8% Soldier **7%** Freefalle 5% Starfish

How does sleep time vary with age?

16 hours INFANTS

7 hours

9 hours TEENS

What keeps the UK up at night?



X




4% **19**%

67% 36% Discomfort Noise 6 1:

34% Temperature

Which country sleeps the longest?





Neurotransmitters and your feelings

Are our moods and emotions really just brain chemistry?

Receptor

Nerve cells can only respond to a specific neurotransmitter if they

have the right corresponding

receptors to detect it.

essages are passed from one nerve cell to the next by chemical messengers called neurotransmitters. Each has a slightly different effect and by looking at what happens when neurotransmitter levels change, we are discovering that different combinations play a role in a range of complex emotions.


Acetylcholine excites the nerve cells that it touches, triggering more electrical activity. It plays a role in wakefulness, attention, learning and memory, and abnormally low levels are found in the brains of people with dementia caused by Alzheimer's disease.

Dopamine is a chemical that also excites nerve cells. It plays a vital role in the control of movement and posture, and low levels of dopamine underlie the muscle rigidity that exists in Parkinson's disease. Dopamine is also used in the brain's reward circuitry and is one of the chemicals responsible for the good

feelings that are normally associated with more addictive behaviour types.

Noradrenaline is similar in structure to the hormone adrenaline and is involved in the 'fight or flight' response. In the brain, it keeps us alert and focussed. In contrast, GABA reduces the activity of the nerves that it interacts with and is thought to reduce feelings of fear or anxiety.

Serotonin is sometimes known as the 'happy hormone' and transmits signals involved in body temperature, sleep, mood and pain. People with depression have been found to have lower serotonin levels than normal, though raising serotonin levels with antidepressant medications does not always help. There are many more neurotransmitters in the brain and other chemicals like hormones can also influence the behaviour of nerve cells. It is these interactions that are thought to underlie the huge range of human emotions.



Different levels of neurotransmitters have been associated with different mental states

Feelings

The combined activity

across this complex

system is what underpins our thoughts, feelings and emotions.

The synapse

Neurotransmitters pass messages from one

nerve cell to the next

Incoming signal Neurotransmitter

release is only triggered when there is enough electrical activity in the nerve cell.

Neurotransmitters

These chemical messengers travel across the small gap - called the synaptic cleft and stick to receptors on nearby nerve cells.

New signal

If a neighbouring nerve receives the right chemical messages it will trigger a new electrical signal.

Synapse

Nerve cells communicate by releasing neurotransmitters at specialised junctions called synapses

Part of a network

Each nerve cell makes thousands of connections to its neighbours and has its own mix of different neurotransmitters and receptors.

Brain cells

Find out what's really going on inside your head

Microglia

These are specialist

immune cells, helping to

keep the brain healthy

and free from disease.

our brain is an incredible thing. It is one of the most complex structures in the known universe, and for decades, scientists have been teasing it apart to find out what it's made of and how it works.

The brain is an electrical and chemical circuit, and nerve cells, or neurons, are the components. They each have a cell body, which contains their genetic code, an axon to transmit electrical impulses, and dendrites to receive them.

They are connected together at junctions known as synapses. When an impulse arrives, packets of molecules are released, passing the message on. Each neuron makes hundreds, or even thousands, of connections, producing the complicated patterns that drive human thought.

There are hundreds of different types of neuron in the brain, categorised according to their unique

structure and function, and more are being discovered all the time. But they can't function on their own. They are supported by a network of glial cells – a name that literally means 'glue'.

There are three main types of glial cell.
Oligodendrocytes have fatty branches, which they wrap around the conducting axons of nerve cells like the plastic coating on electrical wires. This provides insulation, preventing signals from getting crossed and speeding up their transmission along the chain.

Microglia are part of the immune system and act like an in-house cleanup crew, tracking down pathogens and clearing debris from the brain. Then there's the star-shaped astrocytes, which reach between nerve cells and blood vessels with their long, thin arms, shuttling nutrients, mopping up waste products, and even getting involved with chemical signalling.

Oligodendrocyte
These cells provide insulation,

wrapping fatty membranes around the neurons to speed

up their electrical signals

How many cells?

It's hard to know exactly how many cells are in the brain. Individual neurons have long, thin axons and branching trees of dendrites that cross over with their neighbours, forming a tangled mass that is almost impossible to accurately examine. One of the most commonly quoted estimates is 100 billion neurons, with anywhere between three and ten times as many supporting glial cells, but the latest research suggests that these numbers are in fact wrong.

Using a new technique for counting cells, scientists have come up with a different number. Each cell has one nucleus, and they can be stained up to make it easy to tell whether they belong to a neuron or a glial cell. Rather than count them under a microscope, the researchers popped all of the cells open and turned them into a 'soup' so that they could be quickly counted by machine. Using this technique, they revealed that there are closer to 86 billion neurons and about the same number of glial cells – far fewer than expected.



Different parts of the brain contain

Under the microscope

A closer look at the brain reveals a complex network of different cells

Neuron

These are the nerve cells, responsible for transmitting and receiving the electrical and chemical signals in the brain.

Dendrite

These branching processors receive thousands of incoming signals from other neurons.

This microscope image shows astrocytes grabbing on to blood vessels with their 'feet'

Astrocyte

These star-shaped cells support the neurons, providing nutrients, clearing waste and contributing to signalling.

....

This part of the neuron transmits electrical signals towards neighbouring cells.

Synapse

Chemical signals are exchanged at these junctions, passing messages from one neuron to the next.

© Thinkstock: Shutterstoc

Human digestion

How does food get turned into energy?

he digestive system is a group of organs that process food into energy that the human body can use to operate. It is an immensely complex system that stretches all the way between the mouth and the anus. Primary organs that make up the system are the mouth, oesophagus, stomach, $small\,intestine, large\,intestine\,and\,the\,anus.\,Each$ organ has a different function so that the maximum amount of energy is gained from the food, and the waste can be safely expelled from the body. Secondary organs, such as the liver, pancreas and gall bladder, aid the digestive process alongside mucosa cells, which line all hollow organs and produce a secretion which helps the food pass smoothly through them. Muscle contractions called peristalsis also help to push the food throughout the system.

The whole digestive process starts when food is taken into the body through the mouth. Mastication (chewing) breaks down the food into smaller pieces and saliva starts to break starch in these pieces of food into simpler sugars as they are swallowed and move into the oesophagus. Once the food has passed through the oesophagus, it passes into the stomach. It can be stored in the stomach for up to four hours.

The stomach will eventually mix the food with the digestive juices that it produces, which will break down the food further into simpler molecules. These molecules then move into the small intestine slowly, where the final stage of chemical breakdown occurs through exposure to juices and enzymes released from the pancreas, liver and glands in the small intestine. All the nutrients are then absorbed through the intestinal walls and transported around the body through the blood stream.

After all nutrients have been absorbed from food through the small intestine, resulting waste material, including fibre and old mucosa cells, is then pushed into the large intestine where it will remain until expelled by a bowel movement.

"Nutrients are then absorbed through the intestinal walls and Many different organs transported around the body"

Large intestine


The colon, as the large intestine is also known, is where waste material will be stored until expelled from the digestive system through the rectum.


Small intestine

Nutrients that have been released from food are absorbed into the blood stream so they can be transported to where they are needed in the body through the small intestine wall. Further breaking down occurs here with enzymes from the liver and pancreas.

How your body digests food

are involved in the digestion process





The stomach's function is to break down food into simple molecules before it moves into the small intestine where nutrients are absorbed. The organ actually splits into four distinct parts, all of which have different functions. The uppermost section is the cardia, where food is first stored after ingesting it, the fundus is the area above the corpus body, which makes up the main area of the stomach where ingested food is mixed with stomach acid. The final section is the antrum, containing the pyloric sphincter, which is in control of emptying the stomach contents into the small intestine. Food is automatically passed down into the stomach by mucosa and peristalsis through the oesophageal sphincter, and then mixed in the stomach with acids and juices by automatic muscle contractions.

How the

released from ingested food The intestine splits into two distinct parts, the small intestine and the large intestine. The small intestine is where the food goes through final stages of digestion and nutrients are absorbed into the blood stream, the large intestine is where waste is stored until expelled through the anus. Both the small and large intestines can be further divided into sections, the duodenum, jejunum and ileum are the three distinct sections of the small intestine and the cecum, colon and rectum are the sections of the large intestine. As well as storing waste, the large intestine removes water and salt from the waste before it is expelled. Muscle contractions and mucosa are essential for the intestine to work properly, and we see a variation of mucosa, called villi, present in the lower intestine.

Human respiration

Respiration is crucial to an organism's survival. The process of respiration is the transportation of oxygen from the air that surrounds us into the tissue cells of our body so that energy can be broken down

he primary organs used for respiration in humans are the lungs. Humans have two lungs, with the left lung being divided into two lobes and the right into three. Lungs have between 300–500 million alveoli, which is actually where gas exchange occurs.

Respiration of oxygen breaks into four main stages: ventilation, pulmonary gas exchange, gas transportation and peripheral gas exchange. Each stage is crucial in getting oxygen to the body's tissue, and removing carbon dioxide. Ventilation and gas transportation need energy to occur, as the diaphragm and the heart are used to facilitate these actions, whereas gas exchanging is passive. As air is drawn into the lungs at a rate of between 10-20 breaths per minute while resting, through either your mouth or nose by diaphragm contraction, and travels through the pharynx, then the larynx, down the trachea, and into one of the two main bronchial tubes. Mucus and cilia keep the lungs clean by catching dirt particles and sweeping them up the trachea.

When air reaches the lungs, oxygen is diffused into the bloodstream through the alveoli and carbon dioxide is diffused from the blood into the lungs to be exhaled. Diffusion of gases occurs because of differing pressures in the lungs and blood. This is also the same when oxygen diffuses into tissue around the body. When blood has been oxygenated by the lungs, it is transferred around the body to where it is most needed in the bloodstream. If the body is exercising, the breathing rate

increases and, consequently, so does the heart rate to ensure that oxygen reaches tissues that need it. Oxygen is then used to break down glucose to provide energy for the body. This happens in the mitochondria of cells. Carbon dioxide is one of the waste products of this, which is why we get a build up of this gas in our body that needs to be transported back into the lungs to then be exhaled.

The body can also respire anaerobically, but this produces far less energy and instead of producing co2 as a byproduct, lactic acid is produced. The body then takes time to break this down after exertion has finished as the body has a so-called oxygen debt.


1. Nasal passage/ oral cavity

These areas are where air enters into the body so that oxygen can be transported into and around the body to where it's needed. Carbon dioxide also exits through these areas.

5. Alveoli

Capillary beds

The alveoli are tiny little sacs which are situated at the end of tubes inside the lungs and are in direct contact with blood. Oxygen and carbon dioxide transfer to and from the blood stream through the alveoli.



How our lungs work

Lungs are the major respiratory organ in humans



This is part of both the respiratory and digestive system. A flap of connective tissue called the epiglottis to stop choking when an individual takes food into their body.

3. Trachea

Air is pulled into the body through the nasal passages and then passes into How do we breathe?


The intake of oxygen into the body is complex

Breathing is not something that we have to think about, and indeed is controlled by muscle contractions in our body. Breathing is controlled by the diaphragm, which contracts and expands on a regular, constant basis. When it contracts, the diaphragm pulls air into the lungs by a vacuum-like effect. The lungs expand to fill the enlarged chest cavity and air is pulled right

lungs to the alveoli at the ends, which are the final branching. The chest will be seen to rise because of this lung expansion. Alveoli are surrounded by various blood vessels, and oxygen and carbon dioxide are then interchanged at this point between the lungs and the blood. Carbon dioxide removed from the blood stream and air that was breathed in but not used is then expelled from the lungs by diaphragm expansion. Lungs deflate back to a reduced size when breathing out.

Chest cavity

This is the space that is protected by the ribs, where the lungs and heart are situated. The space changes as the diaphragm moves.



through the maze of

tubes that make

up the

These tubes lead to either the left or the right lung. Air passes through these tubes into the lungs, where they pass through progressively smaller and smaller tubes until they reach the alveoli.

6 Rihs

These provide protection

for the lungs and other

internal organs situated

in the chest cavity.

Diaphragm

Lungs Deoxygenated blood

This is a sheet of muscle situated at the bottom of the rib cage which contracts and expands to draw air into the lungs.

Heart

The heart pumps oxygenated blood away from the lungs. around the body to tissue, where oxygen is needed to break down glucose into a usable form of energy.

Oxygen arrives where energy is needed, and a gas exchange of oxygen and carbon dioxide occurs so that aerobic respiration can

arrives back at the lungs, where another gas exchange occurs at the alveoli. Carbon dioxide is removed and oxygen is placed back into the blood.

Rib cage

This is the bone structure which protects the organs. The rib cage can move slightly to allow for lung expansion.

Tissue

occur within cells.



Why do we need oxygen?

We need oxygen to live as it is crucial for the release of energy within the body

oxygen debt that the body must repay

down glucose so that energy is provided

 $C_6H_{12}O_6 + 6O_2 = 6CO_2 + 6H_2O + energy$

Inside the circulatory system

Arteries and veins form the plumbing system that carries blood around the body. Find out more about the circular journey it takes...

he network of blood vessels in the human body must cope with different volumes of blood travelling at different pressures. These blood vessels come in a multitude of different sizes and shapes, from the large, elastic aorta down to very tiny, one-cell-thick capillaries.


Blood is the ultimate multitasker. It carries oxygen for various tissues to use, nutrients to provide energy, removes waste products and even helps you warm up or cool down. It also carries vital clotting factors which stop us bleeding. Blood comes in just two varieties; oxygen-rich


(oxygenated) blood is what the body uses for energy, and is bright red. After it has been used, this oxygen-depleted (deoxygenated) blood is returned for recycling and is actually dark red (not blue, as is often thought).

Blood is carried in vessels, of which there are two main different types – arteries and veins. Arteries carry blood away from the heart and deal with high pressures, and so have strong elastic walls. Veins carry blood back towards the heart and deal with lower pressures, so have thinner walls. Tiny capillaries connect arteries and veins

together, like small back-roads connecting motorways to dual carriageways.


Arteries and veins are constructed differently to cope with the varying pressures, but work in tandem to ensure that the blood reaches its final destination. However, sometimes things go wrong, lead to certain medical problems: varicose veins from failing valves; deep vein thrombosis from blood clots blocking the deep venous system; heart attacks from blocked arteries; and lastly life-threatening aneurysms from weak artery walls.






How do veins work?

Veins carry low pressure blood. They contain numerous one-way valves which stop backwards flow of blood, which can occur when pressure falls in-between heartbeats. Blood flows through these valves towards the heart but cannot pass back through them in the other direction. Valves can fail over time, especially in the legs. This leads to saggy, unsightly veins, known as varicose veins.



Arteries - under pressure!

Arteries cope with all of the pressure generated by the heart and deliver oxygen-rich blood to where it needs to be 24 hours a day. The walls of arteries contain elastic muscles, which allow them to stretch and contract to cope with the wide changes in pressure which is generated from the heart. Since the pressure is high, valves are unnecessary, unlike the low-pressure venous system.



Connecting it all together

Capillaries are the tiny vessels which connect small arteries and veins together. Their walls are only one cell thick, so this is the perfect place to trade substances with surrounding tissues. Red blood cells within these capillaries trade water, oxygen, carbon dioxide, nutrients, waste and even heat. Because these vessels are only one cell wide, the cells have to line up to pass through.

Arteries

All arteries carry blood away from the heart. They carry oxygenated blood, except for the pulmonary artery, which carries deoxygenated blood to the lungs.

Lungs

In the lungs, carbon dioxide is expelled from the body and is swapped for fresh oxygen from the air. This oxygen-rich blood takes on a bright red colour.

A game of two halves

In human beings, the heart is a double pump, meaning that there are two sides to the circulatory system. The left side of the heart pumps oxygen and nutrient-rich blood to the brain, vital organs and other

body tissues (the systemic circulation). The right side of the heart pumps deoxygenated blood towards the lungs, so it can pick up new oxygen molecules to be used again (the pulmonary circulation).

Aorta

The aorta is an artery which carries oxygenated blood to the body; it is the largest blood vessel in the body and copes with the highest pressure blood.

"Plasma carries all of the different types of cells"

What's in blood?

It's actually only the iron in red blood cells which make blood red - if you take these cells away then what you solution that is called plasma. from bacteria, viruses and fungi) and

The left side Veins

HEART

The left side of the heart All veins carry blood to the heart. They carry deoxygenated blood, except for the pulmonary vein, which carries oxygenated blood back to the heart.

pumps oxygenated blood for the body to use. It pumps directly into arteries towards the brain and other body tissues.

The right

The right side of the heart pumps deoxygenated blood to the lungs, where blood exchanges carbon dioxide for fresh oxygen.

Capillaries

Tiny capillaries connect arteries and veins together. They allow exchange of oxygen. nutrients and waste in the body's organs and tissues.

Blood vessels


Different shapes and sizes

Capillary sphincter muscles These tiny muscles can open and close,

which can decrease or increase blood flow through a capillary bed. When muscles exercise, these muscles relax and blood flow into the muscle increases.

Capillary bed This is the capillary network that

connects the two systems. Here, exchange of various substances occurs with surrounding tissues, through the one-cell thick walls.



Why do we sweat?

As your doctor may tell you, it's glandular...

weat is produced by dedicated sweat glands, and is a mechanism used primarily by the body to reduce its internal temperature.


There are two types of sweat gland in the human body, the eccrine gland and the apocrine gland.

The former regulates body temperature, and is the primary source of excreted sweat, with the latter only secreting under emotional stresses, rather than those involved with body dehydration.

Eccrine sweat glands are controlled by the sympathetic nervous system and, when the internal temperature of the body rises, they secrete

a salty, water-based substance to the skin's surface. This liquid then cools the skin and the body through evaporation, storing and then transferring excess heat into the atmosphere.

Both the eccrine and apocrine sweat glands only appear in mammals and, if they are active over the majority of the animal's body, they act as the primary thermoregulatory device. Certain mammals such as dogs, cats and sheep only have eccrine glands in specific areas – such as paws and lips – warranting the need for them to pant in order to control their temperature.



Secretary duct

Secreted sweat travels up to the skin via this duct. Secretary part

This is where the majority of the gland's secretary cells can be located.

Nerve fibres

Deliver messages to glands to produce sweat when the body temperature rises.

Dehydration

What happens if we don't drink enough?

ust by breathing, sweating and urinating, the average person loses ten cups of water a day. With H2O making up as much as 75 per cent of our body, dehydration is a frequent risk. Water is integral in maintaining our systems and it performs limitless functions.

Essentially, dehydration strikes when your body takes in less fluid than it loses. The mineral balance in your body becomes upset with salt

and sugar levels going haywire. Enzymatic activity is slowed, toxins accumulate more easily and your breathing can even become more difficult as the lungs are having to work harder.

Babies and the elderly are most susceptible as their bodies are not as resilient as others. It has been recommended to have eight glasses of water or two litres a day. More recent research is undecided as to how much is exactly needed.


Too much H₂O? Hydration is all about finding the perfect balance. Too much

Hy pe hy w kin in the elidic ce ex ca if in co

Hydration is all about finding the perfect balance. Too much hydration is just as harmful as well as drinking too little; this is known as water intoxication. If an individual has too much liquid in their body, nutrients such as electrolytes and sodium are diluted and the body suffers. Your cells will begin to bloat and expand to such a point that they can even burst, and it can be fatal if untreated with IV fluids containing electrolytes.

Dangers of dehydration

How does a lack of water vary from mild to fatal?



How wounds heal

It takes an army of cells to repair cuts and scrapes

ound healing happens in four key stages: haemostasis, inflammation, proliferation and remodelling. Haemostasis means 'blood halting' in Greek, and is the first crucial part in closing a wound. The body's first line of defence is to constrict the blood vessels in the affected area to minimise blood loss. Platelets then start to stick to the exposed tissue, becoming activated and encouraging more and more platelets to clump together to plug the gap.

Once this plug is in place, a mesh of fibrin fibres starts to form around it, trapping passing blood cells


and forming a sturdy clot that holds the wound closed until it can be repaired. This process only takes a matter of minutes, and once the bleeding stops, the local blood vessels dilate again, allowing immune cells to reach the area and begin the necessary repairs. This stage is called inflammation.


White blood cells go in and clear up dead cells, get rid of damaged tissue and chase down any pathogens that have entered through the wound and destroy them by phagocytosis (ingesting them). They also prepare the area for the repair phase, which is known as proliferation.


With the encouragement of the immune system, long, spindle-shaped cells called fibroblasts start rebuilding the collagen scaffolding that holds healthy tissue together. On top of the wound, epithelial cells begin dividing and migrating to cover the gap. New blood vessels start to form and, as the tissue heals, myofibroblasts tug at the edges of the wound to close the hole. Once this stage is complete, it's time for remodelling. The scaffolding built by the fibroblasts is rearranged, and any unneeded cells that were made during the healing process are safely removed.


Halting infection

The immune system rushes in to prevent pathogens entering through an open wound









1. Injury

Blood vessels in the local area instantly constrict, reducing blood loss and limiting the chances of anything entering the bloodstream.

3. Immune response

Immune cells flood into the area, chasing down and killing any bacteri and cleaning away dead cells and damaged tissue.

2. Clotting

A plug of platelets starts to form.
Clotting factors transform it into a strong network of fibres and trapped standard trapped speed cells, basics dies the breach.

4. Repaii

Immune cells encourage other cells to begin repairs. The support network under the skin is regenerated, and new cells grow over the wound.

5. Macrophage

Macrophage means 'big eater'. These cells are responsible for clearing away pathogens and debris.

7. Granulation

New tissue starts to form at the site of the injury, disordered at first before gradually becoming orderly.

9. Following the trails

Immune cells are attracted to the site of the wound by a trail of chemical signals.

6. Immune arrival

Immune cells squeeze out of the blood vessels and into the tissue in a process called extravasation.

8. Bacteria

An open wound allows pathogens like bacteria to get inside the body.

10. Scarring

If the dermis (deep layer of skin) has been damaged, new collagen fibres form to mend it, creating a scar.

How your blood works

The science behind the miraculous fluid that feeds, heals and fights for your life

White blood cells

White blood cells, or leukocytes, are the immune system's best weapon, searching out and destroying bacteria and producing antibodies against viruses. There are five different types of white blood cells, all with distinct functions.

Platelet -

When activated, these sticky cell fragments are essential to the clotting process. Platelets adhere to a wound opening to stem the flow of blood, then they team with a protein called fibrinogen to weave tiny threads that trap blood cells.

Red blood cell

Known as erythrocytes, red blood cells are the body's delivery service, shuttling oxygen from the lungs to living cells throughout the body and returning carbon dioxide as waste.

Blood vessel wall -


Arteries and veins are composed of three tissue layers, a combination of elastic tissue, connective tissue and smooth muscle fibres that contract under signals from the sympathetic nervous system.


Granulocyte

The most numerous type of white blood cell, granulocytes patrol the bloodstream destroying invading bacteria by engulfing and digesting them, often dying in the process.

Components of blood

Blood is a mix of solids and liquids, a blend of highly specialised cells and particles suspended in a protein-rich fluid called plasma. Red blood cells dominate the mix, carrying oxygen to living tissue and returning carbon dioxide to the lungs. For every 600 red blood cells, there is a single white blood cell, of which there are five different kinds. Cell fragments called platelets use their irregular surface to cling to vessel walls and initiate the clotting process.





"Red blood cells are so numerous because they perform the most essential function of blood"

lood is the river of life. It feeds oxygen and essential nutrients to living cells and carries away waste. It transports the foot soldiers of the immune system, white blood cells, which seek out and destroy invading bacteria and parasites. And it then speeds platelets to the site of injury or tissue damage, triggering the body's miraculous process of self-repair.

Monocyte

that live in organ tissue and bone

The largest type of white blood cell, monocytes are born in bone marrow, then circulate through the blood stream before

maturing into macrophages, predatory immune system cells

Blood looks like a thick, homogenous fluid, but it's actually more like a watery current of plasma – a straw-coloured, protein-rich fluid – carrying billions of microscopic solids consisting of red blood cells, white blood cells and cell fragments that are called platelets. The distribution is far from equal. Over half of our blood is actually just plasma, 45 per cent is red blood cells and a tiny fragment, less than one per cent, is composed of white blood cells and platelets.

Composed of 92 per cent water, plasma is the protein-salt solution in which blood cells and particles travel through the bloodstream. Plasma helps regulate mineral exchange and pH, and carries the

Red blood cells are so numerous because they perform the most essential function of blood, which is to deliver oxygen to every cell in the body and carry away carbon dioxide. As an adult, all of your red blood cells are produced in red bone marrow, the spongy tissue in the bulbous ends of long bones and at the centre of flat bones like hips and ribs.

In the marrow, red blood cells start out as undifferentiated stem cells called hemocytoblasts. If the body detects a drop in oxygen carrying capacity, a hormone is released from the kidneys that triggers the stem cells to become red blood cells. Because red blood cells only live 120 days, the supply is continuously replenished; roughly 2 million red blood cells every second. A mature red blood cell has no

nucleus, it is spit out during the final stages of the two-day development before taking on the shape of a concave, doughnut-like disc. Red blood cells are mostly water, but 97 per cent of their solid matter is haemoglobin, a complex protein that carries four atoms of iron. Those iron atoms have the ability to form loose, reversible bonds with both oxygen and carbon dioxide – think of them as weak magnets – making red blood cells such an effective transport system for all of the respiratory gasses. Haemoglobin, which turns bright red



6. Reuse and recycle

As for the globin and other cellular membranes, everything is converted back into basic amino acids, some of which will be used to create more red blood cells.

1. Born in the bones

When the body detects a low oxygen carrying capacity, hormones released from the kidney trigger the production of new red blood cells inside red bone marrow.

2. One life to live

Mature red blood cells, also known as erythrocytes, are stripped of their nucleus in the final stages of development, meaning they can't divide to replicate.

3. In circulation

Red blood cells pass from

the bone marrow into the

bloodstream, where they circulate for around 120 days.

Waste excreted from body



Life cycle of red blood cells

Every second, roughly 2 million red blood cells decay and die. The body is keenly sensitive to blood hypoxia - reduced oxygen

body is keenly sensitive to blood hypoxia – reduced oxygen carrying capacity – and triggers the kidney to release a hormone called erythropoietin. The hormone stimulates the production of more red blood cells in bone marrow. Red blood cells enter the bloodstream and circulate for 120 days before they begin to degenerate and are swallowed up by roving macrophages in the liver, spleen and lymph nodes. The macrophages extract iron from the haemoglobin in the red blood cells and release it back into the bloodstream, where it binds to a protein that carries it back to the bone marrow, ready to be recycled in fresh red blood cells.

5. Iron ions

In the belly of Kupffer cells, haemoglobin molecules are split into heme and globin. Heme is broken down further into bile and iron ions, some of which are carried back and stored in bone marrow.

4. Ingestion

Specialised white blood cells in the liver and spleen called Kupffer cells prey on dying red blood cells, ingesting them whole and breaking them down into reusable components.

when oxygenated, is what gives blood its characteristic crimson colour.

To provide oxygen to every living cell, red blood cells must be pumped through the body's circulatory system. The right side of the heart pumps CO2-heavy blood into the lungs, where it releases its waste gasses and picks up oxygen. The left side of the heart then automatically pumps all of the freshly oxygenated blood out into the body through a system of various arteries and capillaries, some are even as narrow as a single cell. As the red blood cells release their oxygen, they pick up carbon dioxide molecules, then they course through the veins back toward the heart, where they are pumped back into the lungs to 'exhale' the excess CO2 and collect some more precious O2. White blood cells are actually greatly outnumbered by red blood cells, but they are critical to the function of the immune system. Most

white blood cells are also produced in red bone marrow, but white blood cells – unlike red blood cells – come in five different varieties, each with its own specialised immune function. The first three varieties of blood cells, are called granulocytes, engulf and digest bacteria and parasites, and play a role in a llergic reactions. Lymphocytes, another type of white blood cell, produce anti-bodies that build up our immunity to repeat intruders. And monocytes, the largest of the white blood cells, enter organ tissue and become macrophages, microbes that ingest bad bacteria and then help break down dead red blood cells into reusable parts.

Platelets aren't cells at all, they are actually tiny fragments from much larger stem cells found in bone marrow. In their resting state, they look like smooth oval plates, but when activated to form a clot they take on an irregular form with many protruding

arms called pseudopods. This shape is what helps them to be able to stick not only to the blood vessel walls but also to each other, forming a physical barrier around wound sites. With the help of proteins and clotting factors that are found inside plasma, platelets weave a mesh of fibrin that stems blood loss and triggers the formation of new collagen and skin cells. But three functions of blood - oxygen supplier, immune system defender and wound healer - only scratch the surface of the critical role of blood in each and every bodily process. When blood circulates through the small intestine, it absorbs sugars from digested food, which are transported to the liver to be stored as energy. When blood passes through the kidneys, it is scrubbed of excess urea and salts, waste that will leave the body as urine. The proteins transport vitamins, hormones, enzymes, sugar and electrolytes.

Haemophilia

This rare genetic blood disorder severely inhibits the clotting mechanism of blood, causing excessive bleeding, internal bruising and joint problems. Platelets are essential to the clotting and healing process, producing threads of fibrin with help from proteins in the bloodstream called clotting factors. People who $suffer from \, haemophilia-almost\, exclusively\, males-are$ missing one of those clotting factors, making it difficult to seal off blood vessels after even minor injuries.

"Platelets weave a mesh of fibrin that stems blood loss"

Thalassemia

Another rare blood disorder affecting 100,000 newbornsworldwide each year, thalassemia inhibits the production of haemoglobin, leading to severe anaemia. People who are born with the most serious form of the disease, also called Cooley's anaemia, suffer from enlarged hearts, livers and spleens, and brittle bones. The most effective treatment is frequent blood transfusions, although a few lucky patients have been cured through bone marrow transplants from perfectly matching donors.

Sickle cell anaemia

Anaemia is the name for any blood disorder that results in a dangerously low red blood cell count. In sickle cell anaemia, which afflicts one out of every 625 children of African descent, red blood cells elongate into a sickle shape after releasing their oxygen. The sickle-shaped cells die prematurely, leading to anaemia, or sometimes lodge in blood vessels, causing terrible pain and even organ damage. Interestingly, people who carry only one gene for sickle cell anaemia are immune to malaria



Blood disorde

Blood is a delicate balancing act, with the body constantly regulating oxygen flow, iron content and clotting ability. Unfortunately, there are several genetic conditions and chronic illnesses that can disturb the balance, sometimes with deadly consequences



Hemochromatosis

One of the most common genetic blood disorders, hemochromatosis is the medical term for "iron overload," in which your body absorbs and stores too much iron from food. Severity varies wildly, and many people experience few symptoms, but others suffer serious liver damage or scarring(cirrhosis), irregular heartbeat,

diabetes and even heart failure. Symptomscan be aggravated by taking too much vitamin C

Deep vein thrombosis

Thrombosis is the medical term for any blood clot that is large enough to block a blood vessel. When a blood clot forms in the large, deep veins of the upper thigh, it's called deep vein thrombosis. If such a clot breaks free, it can circulate through the bloodstream, pass through the heart and become lodged in arteries in the lung, causing a pulmonary embolism. Such a blockage can severely damage portions of the lungs, and multiple embolisms can even be fatal.

Blood and healing More than a one-trick pony, your blood is a vital cog in the healing process


Think of blood as the body's emergency response team to an injury. Platelets emit signals that encourage blood vessels to contract, stemming blood loss. The platelets then collect around the wound, reacting with a protein in plasma to form fibrin, a tissue that weaves into a mesh. Blood flow returns and white blood cells begin their hunt for bacteria. Fibroblasts create beds of fresh collagen and capillaries to fuel skin cell growth. The scab begins to contract, pulling the growing skin cells closer together until damaged tissue is replaced.

STAGE 1



INJURY


When the skin surface is cut, torn or scraped deeply enough, blood seeps from broken blood vessels to fill the wound. To stem the flow of bleeding the blood vessels around the wound begin to constrict.



HAEMOSTASIS

Activated platelets aggregate around the surface of the wound, stimulating vasoconstriction. Platelets react with a protein in plasma to form fibrin, a web-like mesh of stringy tissue.


STAGE 3



INFLAMMATORY STAGE

Once the wound is capped with a drying clot, blood vessels open up again, releasing plasma and white blood cells into the damaged tissue. Macrophages digest harmful bacteria and dead cells.

STAGE 4



PROLIFERATIVE STAGE

Fibroblasts lay fresh layers of collagen inside the wound and capillaries begin to supply blood for the forming of new skin cells. Fibrin strands and collagen pull the sides of the wound together.

How do white blood cells work?

One of the body's main defences against infection and foreign pathogens, how do these cells protect our bodies?

hite blood cells, or leukocytes, are the body's primary form of defence against disease. When the body is invaded by a pathogen of any kind, the white blood cells attack in a variety of ways; some produce antibodies, while others surround and ultimately devour the pathogens whole.


In total, there are five types of white blood cell (WBC), and each cell works in a different way to fight a variety of threats. These five cells sit in two groupings: the granulocytes and the agranulocytes. The groups are determined based on whether a cell has 'granules' in the cytoplasm. These granules are digestive enzymes that help break down pathogens. Neutrophils, eosinophils and basophils are all granulocytes, the enzymes in which also give them a distinct colouration which the agranulocytes do not have.

As the most common WBC, neutrophils make up between 55 and 70 per cent of the white blood cells in a normal healthy individual, with the other four types (eosinophils, basophils, monocytes and lymphocytes) making up the rest. Neutrophils are the primary responders to infection, actively moving to the site of infection following a call from mast cells after a pathogen is initially discovered. They consume bacteria and fungus that has broken through the body's barriers in a process called phagocytosis.

Lymphocytes – the second-most common kind of leukocyte – possess three types of defence cells: B cells, T cells and natural killer cells. B cells release antibodies and activate T cells, while T cells attack diseases such as viruses and tumours when directed, and regulatory T cells ensure the immune system returns to normal after an attack. Natural killer cells, meanwhile, aid T cell response by also attacking virus-infected and tumour cells, which lack a marker known as MHC.

The remaining types of leukocyte release chemicals such as histamine, preparing the body for future infection, as well as attacking other causes of illness like parasites.

"Natural killer cells aid T cell response by also attacking virus-infected and tumour cells"




Monocyte

Monocytes help prepare us for another infection by presenting pathogens to the body, so that antibodies can be created. Later in their life, monocytes move


White blood cells at work

The body has various outer defences against infection, including the external barrier of the skin, but what happens when this is breached?



Skin breach

A foreign object breaks through the skin, introducing bacteria (shown in green) into the body.



Mast cells

Mast cells release cytokines and then WBCs are called infection does not spread.




WBCs arrive

Macrophages move to the site via the bloodstream to start defending against




Macrophages consume bacteria

Bacteria are absorbed into cytoplasm and broken down by the macrophages




Healing

Following removal of the to heal the break in the skin to prevent further infection.



Basophil

Basophils are involved in allergic response via releasing histamine and heparin into the bloodstream. Their functions are not fully known and they only account for 0.4 per cent of the body's white blood cells. Their granules appear blue when viewed under a microscope.



Neutrophil

Neutrophils are the most common of the leukocytes. They have a short lifespan so need to be constantly produced by the bone marrow. Their granules appear pink and the cell has multi-lobed nuclei which make them easily differentiated from other types of white blood cell.

A faulty immune system

If the immune system stops working properly, we are at risk of becoming ill. However, another problem is if the immune system actually goes into pathogens. There are a large number of world, such as Crohn's disease, psoriasis, suspected to have autoimmune roots.

We can often treat these conditions with elements of the immune system to stop the body attacking itself. However, there are drawbacks with this treatment as, if the person exposes themselves to another pathogen, they would not have the normal white blood cell response. pathogen, they can even be fatal.





Physical defences

Human anatomy subscribes to the notion that good fences make good neighbours. Your skin, made up of tightly packed cells and an antibacterial oil coating, keeps most pathogens from ever setting foot in body. Your body's openings are well-fortified too. Pathogens that you inhale face a wall of mucus-covered membranes in your respiratory tract, optimised to trap germs. Pathogens that you digest end up soaking in a bath of potent stomach acid. Tears flush pathogens out of your eyes, dousing bacteria with a harsh enzyme for good measure.

Your body is locked in a constant war against a vicious army

t's true: while you're simply sitting around watching TV, trillions and trillions of foreign invaders are launching a full scale assault on the trillions of cells that constitute 'you'. Collectively known as pathogens, these attackers include bacteria, single-celled creatures that live to eat and reproduce; protists, larger single-cell organisms; viruses, packets of genetic information that take

over host cells and replicate inside them; and fungi, a type of plant life.

Bacteria and viruses are by far the very worst offenders. Dangerous bacteria release toxins in the body that cause diseases such as E. coli, anthrax, and the black plague. The cell damage from viruses causes measles, the flu and the common cold, among numerous other diseases.

Just about everything in our environment is teeming with these microscopic intruders, including you. The bacteria in your stomach alone outnumber all the cells in your body, ten-to-one. Yet, your microscopic soldiers usually win against pathogens, through a combination of sturdy barriers, brute force, and superior battlefield intelligence, collectively dubbed the immune system.

The adaptive immune system

Fighting the good fight, and white blood cells are right on the front line...

When a pathogen is tough, wily, or numerous enough to survive various non-specific defences, it's down to the incredibly adaptive immune system to clean up the mess. The key forces in the adaptive immune system are white blood cells which are called lymphocytes. Unlike their macrophage cousins, these lymphocytes are engineered to attack only one specific type of pathogen. There are two types of

lymphocytes: B-cells and T-cells.

These cells join the action when macrophages pass along information about the invading pathogen, through chemical messages called interleukins. After engulfing a pathogen, a macrophage communicates details about the pathogen's antigens - telltale molecules that actually characterise particular pathogens. Based on this information, the immune system identifies specific B-cells and T-cells equipped to recognise and battle the pathogen. Once they are successfully identified, these cells rapidly reproduce, assembling an army of cells that are equipped to take down the attacker.

The B-cells flood your body with antibodies, molecules that either

disarm a specific pathogen or bind to it, marking it as a target for other white blood cells. When T-cells find their target, they lock on and release toxic chemicals that will destroy it. T-cells are especially adept at destroying your body's cells that are infected with a dangerous virus.

This entire process takes several days to get going and may take even longer to conclude. All the while, the raging battle can make you feel terrible. Fortunately, the immune system is engineered to learn from the past. While your body is producing new B-cells and T-cells to fight the pathogens, it also produces memory cellscopies of the B-cells and T-cells, which stay in the system after the pathogen is defeated. The next time that pathogen shows up in your body, these memory cells help launch a counter-attack much more quickly. Your body can wipe out the invaders before any infection takes hold. In other words, you develop immunity.

Vaccines accomplish exactly the same thing as this by simply giving you just enough pathogen exposure for you to develop memory cells, but not enough to make you sick.

2. Bacterium antigen

These distinctive molecules allow your immune system to recognise that the bacterium is something other than a body cell.

4. Engulfed bacterium 3. Ma

During the initial inflammation reaction, a macrophage engulfs the bacterium.

3. Macrophage
These white blood
cells engulf and digest
any pathogens they
come across.

1. Bacterium

Any bacteria that enter your body have characteristic antigens on their surface.

7. Nonmatching B-cells

Other B-cells, engineered to attack other pathogens, don't recognise the antigen.

5. Presented bacterium antigen

After engulfing the bacterium, the macrophage 'presents' the bacterium's distinctive antigens, communicating the presence of the specific pathogen to B-cells.

6. Matching B-cell

The specific B-cell that recognises the antigen, and can help defeat the pathogen, receives the message.

9. Memory cell The matching B-cell also replicates to produce

replicates to produce memory cells, which will rapidly produce copies of itself if the specific bacteria ever returns.

Non-specific defences

As good as your physical defence system is, pathogens do creep past it regularly. Your body initially responds with counterattacks known as non-specific defences, so named because they don't target a specific type of pathogen. After a breech – bacteria rushing in through a cut, for example – cells release chemicals called inflammatory mediators. This triggers the chief non-specific defence, known as inflammation. Within minutes of a breach, your blood vessels dilate, allowing blood and other fluid to flow into the tissue around the cut. The rush of fluid in inflammation carries various types of white blood cells, which get to work destroying intruders. The biggest and toughest of the bunch are macrophages, white blood cells with an insatiable appetite for foreign particles. When a macrophage detects a bacterium's telltale chemical trail, it grabs the intruder, engulfs it, takes it apart with chemical enzymes, and spits out the indigestible parts. A single macrophage can swallow up about 100 bacteria before its own digestive chemicals destroy it from within.

How B-cells attack

B-cells target and destroy specific bacteria and invaders

11. Phagocyte

White blood cells called phagocytes recognise the antibody marker, engulf the bacteria, and digest them.




The plasma cells release antibodies, which disable the bacteria by latching on to their antigens. The antibodies also mark the bacteria for destruction.

8. Plasma cell

The matching B-cell replicates itself, creating many plasma cells to fight all the bacteria of this type in the body.

HOW THE BODY WORKS



Disorders of the immune system

Who watches the watchmen?

The immune system is a powerful set of defences, so when it malfunctions, it can do as much harm as a disease. Allergies are the result of an overzealous immune system. In response to something that is relatively benign, like pollen for example, the immune system will trigger excessive measures to expel the pathogen. In extreme cases, allergies cause anaphylactic shock, which is a potentially deadly drop in blood pressure, sometimes accompanied by breathing difficulty and loss of consciousness. In autoimmune disorders such as rheumatoid arthritis, the immune system fails to recognise the body's own cells and attacks them.



n an allergic reaction, the body may resort to neezing to expel a fairly harmless pathogen

1. Tonsils

Lymphoid tissue loaded with lymphocytes, which attack bacteria that get into the body through your nose or mouth.

2. Left subclavian vein

One of two large veins that serve as the re-entry point for lymph returning to the bloodstream.

3. Right lymphatic duct

Passageway leading from lymph vessels to the right subclavian vein.

4. Right subclavian vein

The second of the two subclavian veins, this one taking the opposite path to its twin.

5. Spleen

An organ that houses white blood cells that attack pathogens in the body's bloodstream.

10. Lymph vessels

Lymph collects in tiny capillaries, which expand into larger vessels. Skeletal muscles move lymph through these vessels, back into the bloodstream.

The **Market Inc. In**

The lymphatic system is a network of organs and vessels that collects lymph – fluid that has drained from the bloodstream into bodily tissues – and returns it to your bloodstream. It also plays a key role in your immune system, filtering pathogens from lymph and providing a home-base for disease-fighting lymphocytes.

6. Lymph node cluster

Located along lymph vessels throughout the body, lymph nodes filter lymph as it makes its way back into the bloodstream.

7. Left lymphatic duct

Passageway leading from lymph vessels to the left subclavian vein.

8. Thymus gland

Organ that provides area for lymphocytes produced by bone marrow to mature into specialised T-cells.

9. Thoracic duct

The largest lymph vessel in the body.

11. Peyer's patch

Nodules of lymphoid tissue supporting white blood cells that battle pathogens in the intestinal tract.


12. Bone marrow

The site of all white blood cell production.

Lymph nodes explained

Lymph nodes filter out pathogens through your lymph vessels

Your immune system depends on these .04-1-inch swellings to fight all manner of pathogens. As lymph makes its way through a network of fibres in the node, white blood cells filter it, destroying any pathogens they find.



Major points of the lymph node

1. Outgoing lymph vessel

The vessel that carries filtered lymph out of the lymph node

2. Valve

A structure that prevents lymph from flowing back into the lymph node

3. Vein

Passageway for blood leaving the lymph node

4. Artery

Supply of incoming blood for the lymph node

5. Reticular fibres

Divides the lymph node into individual cells

6. Capsule

The protective, shielding fibres that surround the lymph node

7. Sinus

A channel that slows the flow of lymph, giving macrophages the opportunity to destroy any detected pathogens

8. Incoming lymph vessel

Avessel that carries lymph into the lymph node

9. Lymphocyte

The T-cells, B-cells and natural killer cells that fight infection

10. Germinal centre

This is the site of lymphocyte multiplication and maturation

11. Macrophage

Large white blood cells that engulfand destroy any detected pathogens

Know your enemy: Bacteria

Bacteria are the smallest and, by far, the most populous form of life on Earth. Right now, there are trillions of the single-celled creatures crawling on and in you. In fact, they constitute about four pounds of your total body weight. To the left is a look at bacteria anatomy...

What is HIV....

... and how does it affect the immune system?

(a virus carrying ribonucleic acid, or RNA as it's known), HIV destroys the host cell, and the virus copies go on to steadily weakens the immune system. If enough T-cells acquired immune deficiency syndrome (AIDS)



Bacteria vs virus

Which is which, and why does it even matter?

hen you've got a sore throat, the cause doesn't always seem important. Some microscopic nasty is waging war with your immune system, it hurts, and you just want to feel better. But whether it's bacteria or a virus on the rampage is actually very important.

Bacteria are each made from just a single, primitive cell. Their insides are separated from the outside by a fatty membrane and a flexible coat of armour called the cell wall. Their genetic information is carried on loops of DNA, and these contain tiny factories called ribosomes, which use the genetic code to produce the molecules that the

bacteria need to grow, divide and survive.


Viruses, on the other hand, are not technically alive. They carry genetic information containing the instructions to build more virus particles, but they don't have the equipment to make molecules themselves. To reproduce, they need to get inside a living cell and hijack its machinery, turning it into a virus factory.

Both bacteria and viruses can cause diseases, but knowing which is the culprit is critical to treating them effectively. Antibiotics can harm bacteria, but have no effect on viruses. Even your own immune system uses different tactics.

For bacteria, theimmune system unleashes antibodies - projectile weapons that stick

infected cells before initiating a self-destruct sequence to dispose of anything nasty lurking inside. But some viruses are able to endure our defences, and can remain inside us indefinitely.





living cell and hijack its machinery, turning it into a virus factory"

antibiotics can't help to fend them off. It might antibiotics are used, it gives bacteria a chance to learn how to resist them. So every time a patient not get better, but bacteria lurking in their bodies will have a chance to see the drug and develop

What is saliva?

Find out this frothy liquid's vital role in maintaining human health

umans can produce an incredible two litres (half a gallon) of saliva each day. It is made up of 99.5 per cent water, so how is it able to perform so many important functions in our mouths? The answer lies in the remaining 0.5 per cent, which contains a host of enzymes, proteins, minerals and bacterial compounds. These ingredients help to digest food and maintain oral hygiene.

As soon as food enters the mouth, saliva's enzymes start to break it down into its simpler components, while also providing lubrication to enable even the driest snack to slide easily down the throat. Saliva is also important in oral health, as it actually helps to protect the teeth from decay and it also controls bacterial levels in the mouth in order to help reduce the overall risk of infection. Without sufficient saliva, tongue and lip movements are not as smooth, which, in extreme cases, can make it very difficult to speak.

With advanced scientific techniques and research, an individual's saliva can reveal a great deal of information. New studies have shown that a saliva test can be used to find out whether a person is at risk of a heart attack, as it contains C-reactive protein (CRP). This can be an indicator of heart disease when found at elevated levels in the blood. A saliva test is much less intrusive than a blood test and gives doctors a rough estimate of the health of a patient's heart. What's more, saliva contains your entire genetic blueprint. Even tiny amounts, equivalent to less than half a teardrop, can provide a workable DNA sample that can be frozen and thawed multiple times without breaking down.

Parotid gland The parotid glands are the largest salivary glands. They are made up of serous cells which produce thin, Parotid duct watery saliva. The parotid duct allows saliva to move Digestive enzymes easily from the The digestion process parotid gland to begins in the mouth, as the mouth saliva contains enzymes that start to break down starches and fats. Sublingual gland Submandibular gland Submandibular duct Composed primarily of



mucous cells, these glands

saliva, accounting for about

five per cent.

secrete only a small amount of

Can saliva speed up healing?

These glands produce roughly

70 per cent of your saliva. They

are composed of both serous

and mucous cells.

Many animals do it instinctively, but it turns out that there is a benefit to humans licking their wounds. A study found that there is a compound in human saliva, namely histatin, which can speed up the healing process. Scientists conducted an experiment using epithelial cells from a volunteer's inner cheek, creating a wound in the cells so that the healing process could be monitored. They

was treated with saliva and one that was treated with saliva and one that was left open. The scientists were astounded when after 16 hours the saliva-treated wound was almost completely closed, yet the untreated wound was still open. This demonstrated that saliva does aid the healing of at least oral wounds, something that has been suspected but unproven until this study.

Also known as the Wharton


duct, this drains saliva from both the submandibular and

sublingual glands.

How old is your body?

You will make 2 million new red blood cells in the time it takes you to read this sentence

our body contains 37.2 trillion cells. There are 86 billion neurons in your brain, 50 billion fat cells insulate your skin, and every cubic millimetre of your blood contains 4-6 million cells. But they don't live forever. Cells get old and damaged, and your body is constantly racing to replace them. Red blood cells only live for about three months; 50 million skin cells flake away every day; and sperm cells only last for three to five days. Read on to find out just how old you really are.



CHEEK LINING 3 hours STOMACH LINING 2-9 days PLATELETS 10 days

CELLS 10-30 days


Studies of cheek lining cells in saliva have revealed that the lining of the mouth might renew as fast as every 2.7 hours.

A thick layer of mucus protects the cells lining the stomach, but they are still replaced at least once a week. Large cells called megakaryocytes make fragments called platelets, which plug leaks in blood vessels. They only last for around ten days.

There are between 18 and 23 layers of dead cells on the outside of your skin. New cells push up from below the surface every few weeks.

SPERM 3-5 days

Adult males produce fresh sperm constantly. These cells can survive for between three and five days as they search for an egg.



50+ years

Females are born with all of the egg cells they will ever have, but they are no longer released after the menopause.




LUNG LINING 8 days


The delicate lining of the lungs is just one cell thick and lasts just over a week.

CEREBRAI

80+ years

You might have heard that the whole body renews itself every seven years, but brain cells last as long as we do.





BONE CELLS

they live for over a year.

Liver cells normally last for 200-300 days, but they can divide rapidly if needed. Remove 75 per cent of the liver and it will grow back.

5 DAYS

White blood cells called neutrophils are first on the scene when an infection strikes. They live for less than a week.

Human pregnancy

Nine months of change and growth


regnancy is a unique period in a woman's life that brings about physical and emotional changes. When it occurs, there is an intricate change in the balance of the oestrogen and progesterone hormones, which causes the cessation of menstruation and allows the conditions in the uterus (womb) to become suitable for the growth of the fetus. The lining of the uterus, rather than being discharged, thickens and enables the development of the baby.

At first, it is a collection of embryonic cells no bigger than a pinhead. By week four the embryo forms the brain, spinal cord and heart inside the newly fluid-filled amniotic sac. Protected by this cushion of fluid, it becomes recognisably human and enters the fetal stage by the eighth week.

Many demands are put on the mother's body and she is likely to experience sickness, tiredness, lower-back pain, heartburn, increased appetite and muscle cramps, as well as the enlargement of her breasts and stretch marks. Her blood sugar levels, heart rate and breathing also increase to cope with the growing demands of the fetus.

As the date of labour approaches, the mother feels sudden contractions known as Braxton-Hicks, and the neck of her uterus begins to soften and thin out.

Meanwhile, the lungs of the fetus fill with surfactant. This substance enables the lungs to soften, making them able to inflate when it takes its first breath of air in the world. Finally, chemical signals from the fetus trigger the uterus to go into labour.



"At first, it is a collection of embryonic cells no bigger than a pinhead"

FIRST TRIMESTER (0-12 weeks)


SECOND TRIMESTER (13-27 weeks)

Week 16

This begins after the last menstrual period, when an egg is released and fertilised. It takes about nine weeks for the resulting embryo to develop into a fetus. During this period, the mother will be prone to sickness and mood swings due to hormonal changes.

Head

Face begins to look human and the brain is developing rapidly.



Heart
All the internal
organs are formed
and the heart is able
to pump blood
around its body.

Length

Weight

Length

Week 16: 140a

Week 20: 340q

Week 16: 18cm

Week 20: 25cm

The fetus grows rapidly and its organs mature. By week 20 its movements can be felt. At week 24 it can suck its thumb and hiccup, and can live independently of the mother with medical support.

Hair and teeth

At 16 weeks, fine hair (lanugo) grows over the fetal body. By 20 weeks, teeth start forming in the jaw and hair grows.

Movement

By week 16 the eyes can move and the whole fetus makes vigorous movements,

Sound and light The fetus will respond to

The fetus will respond to light and is able to hear sounds such as the mother's voice.

Vernix

By 20 weeks, this white, waxy substance covers the skin, protecting it from the surrounding amniotic fluid.

Sweating

An increase in blood circulation causes mother to


Movement Fetus moves aroun

Fetus moves around to encourage muscle development.

Weight







THIRD TRIMESTER (28-40 weeks)

Breathlessness

The increased size of the fetus by 24 weeks causes compression of rib cage and discomfort for mother.



Movement
By the 28th week,
due to less room in
uterus, the fetus will
wriggle if it feels

Now almost at full term, the fetus can recognise and
respond to sounds and changes in light. Fat begins
to be stored under the skin and the lungs are the
very last organs to mature.

Weight 1,500g Length

"The three intertwined blood vessels radiate from the centre to the placenta"

Under pressure

Pressure on the diaphragm and other organs causes indigestion and heartburn in the mother. She will find it difficult to eat a lot.

Position

Head positions itself downwards, in preparation for labour.

Sleep patterns

Fetus will sleep and wake in 20-minute cycles.

Hormones

How the human endocrine system develops and controls the human body

he glands in the endocrine system use chemicals called hormones to communicate with and control the cells and organs in our bodies. They are ductless glands that secrete different types of hormones directly into the bloodstream which then target specific organs.

The target organs contain hormone receptors that respond to the chemical instructions supplied by the hormone. There are 50 different types of hormone in the body and they all consist of three basic types: peptides, amines and steroids.

Steroids include the testosterone hormone. This is not only secreted by the cortex of the adrenal gland, but also from the male and female reproductive organs and by the placenta in pregnant women. The


majority of hormones are called peptides that consist of short chains of amino acids. They are secreted by the pituitary and parathyroid glands. Amine hormones are secreted by the thyroid and adrenal medulla and are related to initiating the fight or flight response in our bodies.

The changes that are caused by the endocrine system act more slowly than the nervous system as they regulate growth, moods, metabolism, reproductive processes and a relatively constant stable internal environment for the body (homeostasis). The pituitary, thyroid and adrenal glands then all combine to form the major elements of the body's endocrine system along with various other elements such as the male testes, the female ovaries and the pancreas.

"Amine hormones are secreted by the thyroid and adrenal medulla"

Adrenal gland

We have two adrenal glands that are positioned on top of both kidneys. The triangular-shaped glands each consist of a two-centimetre thick outer cortex that produces steroid hormones, which include testosterone, cortisol and aldosterone. The ellipsoid shaped, inner part of the gland is known as the medulla, which produces noradrenaline and adrenaline. These hormones increase the heart rate, and the body's levels of oxygen and glucose while reducing non-essential body functions. The adrenal gland is known as the 'fight or flight' gland as it controls how we respond to stressful situations, and prepares the body for the demands of either fighting or running away as fast as you can. Prolonged stress over-loads this gland and causes illness.



The endocrine system

Thymus

Is part of the immune system. It produces thymosins that control the behaviour of white blood T-cells.


Adrenal glands

Controls the burning of protein and fat, and regulates blood pressure. The medulla secretes adrenaline to stimulate the fight or flight response.

Male testes

These two glands produce testosterone that is responsible for sperm production, muscle and bone mass and sex drive.

Hypothalamus Releases hormones to the pituitary gland to promote its production and secretion of hormones to the rest of the body. Pituitary gland Releases hormones to the male and female reproductive organs and to the adrenal glands. Stimulates growth in childhood and maintains adult bone and muscle mass. Pineal gland Secretes melatonin, which controls sleep patterns and controls the production of hormones related to the reproductive organs.



Pituitary gland

The pea-sized pituitary gland is a major endocrine gland that works under the control of the hypothalamus. The two organs inside an individuals brain work in concert and mediate feedback loops in the endocrine system to maintain control and stability within the body.

The pituitary gland features an anterior (front) lobe and a posterior (rear) lobe. The anterior lobe secretes growth hormones that stimulate the development of the muscles and bones; it also stimulates the development of ovarian follicles in the female ovary. In males, it is this that actually stimulates

the production of sperm cells. The posterior lobe stores vasopressin and oxytocin that is supplied by the hypothalamus. Vasopressin allows the retention of water in the kidneys and suppresses the need to excrete urine. It also raises blood pressure by contracting the blood vessels in the heart and lungs.


Oxytocin influences the dilation of the cervix before giving birth and the contraction of the uterus after birth. The lactation of the mammary glands are stimulated by oxytocin when mothers begin to breastfeed.

Thyroid and parathyroids

Parathyroid Works in combination with the thyroid to control levels of calcium.

Thyroid

Important for maintaining the metabolism of the body. It releases T3 and T4 hormones to control the breakdown of food and store it, or release it as energy.



The two lobes of the thyroid sit on each side of the windpipe and are linked together by the isthmus that runs in front of the windpipe. It stimulates the amount of body oxygen and energy consumption, thereby keeping the metabolic rate of the body at the current levels to keep you healthy and active.

The hypothalamus and the anterior pituitary gland are in overall control of the thyroid and they respond to changes in the body by either suppressing or increasing thyroid-stimulating hormones. Overactive thyroids cause excessive sweating, weight loss and sensitivity to heat, whereas underactive thyroids cause sensitivity to hot and cold, baldness and weight gain. The thyroid can swell during puberty and pregnancy or due to viral infections or lack of iodine in a person's diet.

The four small parathyroids regulate the calcium levels in the body; it releases hormones when calcium levels are low. If the level of calcium is too high the thyroid releases calcitonin to reduce it. Therefore, the thyroid and parathyroids work in tandem.

Pancreas Maintains healthy blood sugar levels in the blood stream.

Female ovaries Are stimulated by hormones from the pituitary gland and control the

menstrual cycle.

two types of cell, the exocrine cells do not secrete their output into the bloodstream but the endocrine cells do. The endocrine cells are contained in clusters called the islets of Langerhans. They number approximately 1 million cells and are only one or two per cent of the total number of cells in the pancreas. There are four types of endocrine cells in the pancreas. The beta cells secrete insulin and the alpha cells secrete glucagon, both of which stimulate the production of blood sugar (glucose) in the body. If the Beta cells die or are destroyed it causes type 1 diabetes, which is fatal unless treated with insulin

injections. The other two cells are the gamma

and delta cells. The former reduces appetite

cavity above the small intestine. Consisting of

Islets of **Red blood** Pancreatic cells Acinar cells Langerhans cells These secrete digestive enzymes to the intestine. Duct cells Secrete bicarbonate to the intestine.



From inheritance to genetic diseases, what secrets are hidden in our genes and how do they determine who we are?





enes define who we are. They are the basic unit of heredity, each containing a coded set of instructions to make a protein. Humans have an estimated 20,500 genes, varying in length from a few hundred to more than 2 million base pairs. They affect all aspects of our physiology, providing the code that determines our physical appearance, the biochemical reactions that occur inside our cells and even, many argue, our personalities.


Every individual has two copies of every gene – one inherited from each parent. Within the population there are several alleles of each gene – that is, different forms of the same code, with a number of minor alterations in the sequence. These alleles perform the same underlying function, but it is the subtle differences that make each of us unique.


Inside each of our cells (except red blood cells) is a nucleus, the core which contains our genetic information: deoxyribonucleic acid (DNA). DNA is a four-letter code made up of bases: adenine (A), guanine (G), cytosine (C) and thymine (T). As molecular biologist Francis Crick once put it, "DNA makes RNA, RNA makes protein and proteins make us." Our genes are stored in groups of several thousand on 23 pairs of chromosomes in the nucleus, so when a cell needs to use one particular gene, it makes a temporary copy of the sequence in the form of ribonucleic acid (RNA). This copy contains all of the information required to make a protein – the building blocks of the human body.

The Human Genome Project aimed to map the entire human genome; this map is effectively a blueprint for making a human. Using the information hidden within our genetic code,

How is our genetic code stored?

Genetic information is coded into DNA using just four nucleobases: A, C, G and T





scientists have been able to identify genes that contribute to various diseases. By logging common genetic variation in the human population, researchers have actually been able to identify over 1,800 disease-associated genes, affecting illnesses ranging from breast cancer to Alzheimer's. The underlying genetic influences that affect complex diseases such as heart disease are still not yet fully understood, but having the genome available to study is making the task of identifying the genetic risk factors much easier.

Interestingly, the Human Genome Project discovered we have far fewer genes than first predicted; in fact, only two per cent of our genome codes for proteins. The remainder of the DNA is known as 'non-coding' and serves other

functions. In many human genes are non-coding regions called introns, and between genes there is intergenic DNA. One proposed function is that these sequences act as a buffer to protect the important genetic information from mutation. Other noncoding DNA acts as switches, which helps the cell to turn genes on and off at the right times.

Genetic mutations are the source of variation in all organisms. Most genetic mutation occurs as the DNA is being copied, when cells prepare to divide. The molecular machinery responsible for duplicating DNA is prone to errors, and often makes mistakes, resulting in changes to the DNA sequence. These can be as simple as accidentally substituting one base for another (eg A for G), or can be much larger errors, like adding or deleting bases. Cells have repair


machinery to correct errors as they occur, and even to kill the cell if it makes a big mistake, but despite this some errors still slip through.

Throughout your life you will acquire many cell mutations. Many of these are harmless, either occurring in non-coding regions of DNA, or changing the gene so nominally that the protein is virtually unaffected. However, some mutations do lead to disease. If mutations are introduced into the sperm and egg cells they can be passed on to the next generation. However, not all mutations are bad, and this process of randomly introduced changes in the DNA sequence provides the biological underpinning that supports Darwin's theory of evolution. This is most easily observed in animals. Take, for example, the peppered moth. Before the Industrial Revolution

The Human Genome

The Human Genome Project, an began in 1990 and was 3.3-billion base pair sequence was broken into sections of order. The genome map (right) compared with other animals: (the more fragmented the there are in the genetic code).

Mapping the human genome



the majority of these moths had white wings, enabling them to hide against light-coloured trees and lichens. A minority had a mutant gene, which gave them black wings; this made them an easy target for predators. When factories began to cover the trees in soot, the light-coloured moths struggled to hide themselves against the darker environment, so black moths flourished. They survived much longer, enabling them to pass on their mutation to their offspring and altering the gene pool.

It is easy to see how a genetic change like the one that occurred in the peppered moth could give an advantage to a species, but what about genetic diseases? Even these can work to our advantage. A good example is sickle cell anaemia – a genetic disorder that's quite common in the African population. A single nucleotide mutation causes haemoglobin, the protein involved in binding oxygen in red blood cells, to misfold. Instead of

forming its proper shape, the haemoglobin clumps together, causing red blood cells to deform. They then have trouble fitting through narrow capillaries and often become damaged or destroyed. However, this genetic mutation persists in the population because it has a protective effect against malaria. The malaria parasite spends part of its life cycle inside red blood cells and, when sickle cells rupture, it prevents the parasite from reproducing. Individuals with one copy of the sickle cell gene and one copy of the healthy haemoglobin gene have few symptoms of sickle cell anaemia, but are protected from malaria too, allowing them to pass the gene on to their children.

Genetics is a complex and rapidly evolving field and more information about the function of DNA is being discovered all the time. It is now known that environmental influences can alter the way that DNA is packaged in the cell, restricting access to some

genes and altering protein expression patterns. Known as epigenetics, these modifications do not actually alter the underlying DNA sequence, but regulate how it is accessed and used by the cell. Epigenetic changes can be passed on from one cell to its offspring, and provide an additional mechanism by which genetic information can be modified across generations.

'Before the Industrial Revolution, most peppered moths had white wings"

Using genetics to convict criminals


Forensic scientists can use traces of DNA to identify individuals involved in criminal activity. Only about 0.1 per cent of the genome differs between individuals, so rather than sequencing the entire genome, scientists take 13 DNA regions that are known to vary between different people in order to create a 'DNA fingerprint'. In each of these regions there are two to 13 nucleotides in a repeating pattern hundreds of bases long – the length varies between individuals. Small pieces of DNA – referred to as probes – are used to identify these repeats and the length of each is determined by a technique called polymerase chain reaction (PCR). The odds that two people will have exactly the same 13-region profile is thought to be one in a billion or even less, so if all 13 regions are found to be a match then scientists can be fairly confident that they can tie a person to a crime scene.






Why do we look like our parents?


It's a common misconception that we inherit entire features from our parents - eg "You have your father's eyes." Actually inheritance is much more complicated - several genes work together to create traits in physical appearance; even eye colour isn't just down to one gene that codes for 'blue', 'brown' or 'green', etc. The combinations of genes from both of our parents create a mixture of their traits. However, there are some examples of single genes that do dictate an obvious physical characteristic all on their own. These are known as Mendelian traits, after the scientist Gregor Mendel who studied genetic inheritance in peas in the 1800s. One such trait is albinism - the absence of pigment in the skin, hair and eyes due to a defect in the protein that makes melanin.


















FEED YOUR MIND WITH OUR BOOKAZINES

Explore the secrets of the universe, from the days of the dinosaurs to the miracles of modern science!
















Follow us on Instagram (i) @futurebookazines

- FUTURE
- www.magazinesdirect.com
- Magazines, back issues & bookazines.
















A-Z of your body

Take a tour of your anatomy with our head-to-toe guide



Human anatomy

Learn everything you need to know about our bones and organs



Amazing facts

Discover the answers to the questions you've always wanted to ask



The body at work

Explore the complex systems, processes and behaviours in the human body